

Title (en)

Stirring apparatus with a blow-sensitive protective layer.

Title (de)

Rührapparat mit schlagempfindlicher Schutzschicht.

Title (fr)

Appareil pour agiter pourvu d'une coudre protectrice sensible aux coups.

Publication

**EP 0111148 A2 19840620 (DE)**

Application

**EP 83110903 A 19831102**

Priority

CH 690482 A 19821126

Abstract (en)

[origin: US4575253A] The stirrer vessel and stirrer shaft of a stirring apparatus are heated and carry an enamel coating on the surfaces coming into contact with the product. In order to prevent destruction of this enamel coating when the stirrer shaft is severely stressed, elastic intermediate members are arranged between a rigid support shaft and a shaft casing. The stuffing box is also held on the stirrer vessel by a further elastic intermediate member. An elastic packing between the fixed part of the stirrer vessel and the vessel cover fixed to the drive casing balances forces which are transferred from the vessel wall to the drive casing.

Abstract (de)

Der Rührbehälter (1) und die Rührwelle (2) des Rührapparates sind beheizt und tragen an den mit dem Produkt in Berührung gelgenden Oberflächen eine Emailleschicht. Um eine Zerstörung dieser Emailleschicht bei starken Belastungen der Rührwelle (2) zu verhindern sind zwischen einer steifen Tragwelle (29) und einem Wellenmantel (31) elastische Zwischenglieder (27, 28) angeordnet, auch die Stopfbüchse (3) wird durch ein weiteres elastisches Zwischenglied (59) am Rührbehälter (1) gehalten. Eine elastische Dichtung (14) zwischen dem feststehenden Teil (15) des Rührbehälters (1) und dem mit dem Antriebsgehäuse (11) fest verbudenen Behälterdeckel (10) gleicht Kräfte aus, die von der Wand des Rührbehälters (1) an das Antriebsgehäuse (11) übertragen werden.

IPC 1-7

**B01F 7/04**

IPC 8 full level

**B01F 7/00** (2006.01); **B01F 7/04** (2006.01); **B01F 15/00** (2006.01); **B01F 15/06** (2006.01); **B01F 7/02** (2006.01)

CPC (source: EP US)

**B01F 27/051** (2022.01 - EP US); **B01F 27/052** (2022.01 - EP US); **B01F 27/70** (2022.01 - EP US); **B01F 35/4122** (2022.01 - EP US); **B01F 35/50** (2022.01 - EP US); **B01F 35/92** (2022.01 - EP US); **B01F 35/95** (2022.01 - EP US); **B01F 27/60** (2022.01 - EP US)

Cited by

CN110049812A; EP0641753A3; DE102018121430A1; WO2020048929A1; WO2019086116A1; WO2018104286A1

Designated contracting state (EPC)

DE FR GB IT

DOCDB simple family (publication)

**EP 0111148 A2 19840620**; **EP 0111148 A3 19860716**; US 4575253 A 19860311

DOCDB simple family (application)

**EP 83110903 A 19831102**; US 55455183 A 19831122