

Title (en)  
SAFETY SKI BINDING

Publication  
**EP 0111886 A3 19850703 (DE)**

Application  
**EP 83112569 A 19831214**

Priority  
AT 457182 A 19821216

Abstract (en)  
[origin: US4592569A] A release ski binding has a sole plate which is pivotal in its central region about an approximately vertical axis and is tiltable up about a transverse axis which is arranged in front of the vertical axis, which sole plate is held in the skiing position by a resilient holding mechanism which, during a release, effects an opening of the jaws which hold the ski show on the ski. In order to bring about a simple structural design of the binding, the holding mechanism has associated with it a spring housing which is movably supported on the sole plate, the spring of which spring housing urges a locking member for the jaws into the clamping position. The locking member is arranged on the sole plate.

IPC 1-7  
**A63C 9/081**; **A63C 9/085**

IPC 8 full level  
**A63C 9/081** (2012.01); **A63C 9/085** (2012.01)

CPC (source: EP US)  
**A63C 9/081** (2013.01 - EP US); **A63C 9/08535** (2013.01 - EP US)

Citation (search report)  
• [AD] FR 2470620 A1 19810612 - GEZE GMBH [DE]  
• [A] EP 0085313 A1 19830810 - HALDEMANN AG [CH]

Cited by  
EP0192189A3; EP0178375A3; US4735845A

Designated contracting state (EPC)  
CH DE FR LI

DOCDB simple family (publication)  
**EP 0111886 A2 19840627**; **EP 0111886 A3 19850703**; **EP 0111886 B1 19870923**; AT 376895 B 19850110; AT A457182 A 19840615; DE 3373784 D1 19871029; JP S59177082 A 19841006; US 4592569 A 19860603

DOCDB simple family (application)  
**EP 83112569 A 19831214**; AT 457182 A 19821216; DE 3373784 T 19831214; JP 23647083 A 19831216; US 56171583 A 19831215