

Title (en)

METHOD OF AND DEVICE FOR ROLLING METAL STRIP

Publication

**EP 0112969 A3 19840926 (DE)**

Application

**EP 83109368 A 19830921**

Priority

DE 3245090 A 19821206

Abstract (en)

[origin: US4669296A] A roll stand has a frame, a pair of small-diameter and substantially parallel working rolls defining a workpiece nip, and respective journal blocks supporting the working rolls in the frame for rotation about substantially parallel axes flanking the nip. These working-roll journal blocks and the respective working rolls can be axially shifted in the frame and the working rolls can be bent positively and negatively, that is respectively convex and concave toward the workpiece. A pair of large-diameter and substantially parallel backup rolls flank and bear toward the nip on the working rolls. Respective journal blocks support the backup rolls in the frame for rotation about substantially parallel axes flanking and generally coplanar with the working-roll axes. A strip is passed repeatedly in a multipass run through the nip generally perpendicular to the plane while the working rolls are pressed against the workpiece to reduce its thickness. The working rolls are axially displaced relative to the workpiece a plurality of times during the run to change the region of contact between the workpiece edges and the working rolls during the run. The working rolls are also bent at least to maintain the workpiece thickness downstream of the nip generally uniform.

IPC 1-7

**B21B 31/18**

IPC 8 full level

**B21B 27/02** (2006.01); **B21B 1/22** (2006.01); **B21B 13/14** (2006.01); **B21B 31/18** (2006.01); **B21B 13/02** (2006.01)

CPC (source: EP US)

**B21B 13/142** (2013.01 - EP US); **B21B 13/023** (2013.01 - EP US)

Citation (search report)

- [YD] DE 2260256 A1 19730620 - HITACHI LTD
- [Y] DE 2335809 A1 19740131 - HITACHI LTD
- [A] DE 2334492 A1 19740117 - HITACHI LTD
- [A] EP 0026903 A1 19810415 - HITACHI LTD [JP]
- [A] Patent Abstracts of Japan Band 6, Nr. 33, 27. Februar 1982 & JP-A-56-148405

Cited by

EP0235769A3; EP0239004A3; US4770021A

Designated contracting state (EPC)

AT BE DE FR GB IT

DOCDB simple family (publication)

**EP 0112969 A2 19840711; EP 0112969 A3 19840926; EP 0112969 B1 19881109; EP 0112969 B2 19970319;** AT E38480 T1 19881115; DE 3245090 A1 19840607; DE 3378403 D1 19881215; JP H0361522 B2 19910920; JP S59110402 A 19840626; RU 1787052 C 19930107; UA 9902 A 19960930; US 4669296 A 19870602; US 4711116 A 19871208

DOCDB simple family (application)

**EP 83109368 A 19830921;** AT 83109368 T 19830921; DE 3245090 A 19821206; DE 3378403 T 19830921; JP 22926183 A 19831206; SU 3673628 A 19831205; UA 3673628 A 19831205; US 55816583 A 19831205; US 91195986 A 19860925