

Title (en)  
METHOD FOR COLD SIZING A ROUND WORKPIECE HAVING MULTIPLE DIAMETERS

Publication  
**EP 0114108 B1 19881207 (EN)**

Application  
**EP 84300204 A 19840113**

Priority  
US 45832583 A 19830117

Abstract (en)  
[origin: EP0284824A2] A method and apparatus (12) for cold sizing a round workpiece (14) having round surfaces of cylindrical shapes that are coaxial about a central axis A of the workpiece and have different diameters. A support (54,55) rotatably mounts the workpiece (14) about its central axis A between a pair of die assemblies (24a, 24b) which are spaced from each other. Each die assembly (24a,24b) includes a plurality of dies (56,58,60,62) that are respectively aligned with the round surfaces (46,48,50,52) of the workpiece (14). Movement of the die assemblies in opposite directions as each other engages sizing surfaces (66,68,70,72) of the dies with the aligned round surfaces of the workpiece to pressure size the workpiece surfaces. In one embodiment of the sizing apparatus (12), the dies assemblies (24a, 24b) have elongated shapes and are moved rectilinearly in a parallel relationship to each other to perform the sizing. Another rotary embodiment of the sizing apparatus (12') includes rotary die assemblies (24a',24b') mounted by associated spindles (85) whose rotation likewise pressure sizes the round workpiece surfaces. Both embodiments of the sizing apparatus are disclosed as including forming projections for forming projections for forming projections such as splines (82) and/or a helical thread (84) on the sized surfaces of the workpiece.

IPC 1-7  
**B21H 5/02**

IPC 8 full level  
**B21H 3/02** (2006.01); **B21H 5/02** (2006.01)

CPC (source: EP)  
**B21H 3/022** (2013.01)

Citation (examination)  
Lehrbuch der Umformtechnik, vol. 2, page 203

Cited by  
EP0166758A4

Designated contracting state (EPC)  
AT BE CH DE FR GB IT LI LU NL SE

DOCDB simple family (publication)  
**EP 0284824 A2 19881005; EP 0284824 A3 19881019**; AT E39071 T1 19881215; CA 1228254 A 19871020; DE 3475488 D1 19890112; EP 0114108 A2 19840725; EP 0114108 A3 19841017; EP 0114108 B1 19881207

DOCDB simple family (application)  
**EP 88103431 A 19840113**; AT 84300204 T 19840113; CA 445362 A 19840116; DE 3475488 T 19840113; EP 84300204 A 19840113