

Title (en)
ARRANGEMENT OF AN ODOMETER IN A TACHOGRAPH

Publication
EP 0114396 B1 19880525 (DE)

Application
EP 83113099 A 19831224

Priority
DE 3301887 A 19830121

Abstract (en)
[origin: EP0114396A2] 1. Arrangement of an odometer (22) in a tachograph (1), in which the odometer (22) is mounted as an operational component having a meter frame (30), in which the counters (16) of the odometer (22), the tens switching drives (29) associated with the counters (16) and driving means (36, 39, 38) for the units counter (16/1) are arranged on suitable axes (31, 32), and the tachograph (1) is formed from a plurality of housing components (5, 18), one of which at least partially forms the front face (3, 4) of the tachograph (1), characterized in that on a first housing component (18) of the tachograph (1) a holder (23) is provided, which corresponds at least partially to the contours of the odometer (22), that on the second housing component (5), which at least partially forms the front face of the tachograph (1), a counter window (13) is arranged, which frames a section of the set of counters (16) of the odometer (22) and that the odometer (22) which is inserted into the first housing component (18) is secured indirectly through the second housing component (5) which is attached to the first housing component (18).

IPC 1-7
G07C 7/00; G06M 1/02; G07C 5/10

IPC 8 full level
G01C 23/00 (2006.01); **G01C 22/00** (2006.01); **G06M 1/02** (2006.01); **G07C 5/10** (2006.01); **G07C 7/00** (2006.01)

CPC (source: EP)
G07C 7/00 (2013.01)

Cited by
EP0802079A3

Designated contracting state (EPC)
DE FR GB IT

DOCDB simple family (publication)
EP 0114396 A2 19840801; **EP 0114396 A3 19850123**; **EP 0114396 B1 19880525**; DE 3301887 A1 19840726; DE 3376777 D1 19880630; JP H0430526 B2 19920522; JP S59137813 A 19840808; SU 1264845 A3 19861015

DOCDB simple family (application)
EP 83113099 A 19831224; DE 3301887 A 19830121; DE 3376777 T 19831224; JP 740384 A 19840120; SU 3694359 A 19840120