

Title (en)

TRANSMITTER FOR REMOTE-CONTROLLED LOCKING DEVICE

Publication

EP 0117204 B1 19870909 (FR)

Application

EP 84400318 A 19840216

Priority

FR 8302554 A 19830217

Abstract (en)

[origin: ES8406618A1] This invention has as its object an infrared emitter. The case of a remote control device has a cover (14) doubly hinged around an axis (X-X) around which it can swivel to carry out the push button function that makes possible the activation of an infrared emitter in the case. The case is also hinged around a movable second axis of articulation (Y-Y) around which it is made to rotate when it is desired to replace the direct current power source (18) which is attached to the cover (14). The locking and unlocking means for the opening of the case by swivelling of the cover (14) around the second axis of articulation (Y-Y) consists of the hinge pin (50) of the hinge (42) that defines the first axis of articulation (X-X) of the cover.

IPC 1-7

E05B 49/00; **H01H 21/24**

IPC 8 full level

B60R 25/01 (2013.01); **B60R 25/00** (2013.01); **B60R 25/24** (2013.01); **E05B 19/04** (2006.01); **E05B 49/00** (2006.01); **E05B 65/20** (2006.01); **G07C 9/00** (2006.01); **H01H 21/24** (2006.01); **H01H 9/02** (2006.01)

CPC (source: EP US)

E05B 19/043 (2013.01 - EP US); **G07C 9/00944** (2013.01 - EP US); **H01H 21/24** (2013.01 - EP US); **G07C 2009/00952** (2013.01 - EP US); **H01H 9/0235** (2013.01 - EP US)

Cited by

FR2597537A1; US6474123B1; US5177989A; EP0580886A1; EP0267429A1; US5966972A; US5209090A; US6345522B1; US6867685B1; WO2008101828A1

Designated contracting state (EPC)

DE GB IT NL SE

DOCDB simple family (publication)

EP 0117204 A1 19840829; **EP 0117204 B1 19870909**; DE 3466032 D1 19871015; ES 528250 A0 19840801; ES 8406618 A1 19840801; FR 2541346 A1 19840824; FR 2541346 B1 19880805; JP S59154275 A 19840903; US 4574285 A 19860304

DOCDB simple family (application)

EP 84400318 A 19840216; DE 3466032 T 19840216; ES 528250 A 19831221; FR 8302554 A 19830217; JP 1531084 A 19840201; US 58110084 A 19840217