

Title (en)

DESENSITIZING INK FOR WET OFFSET PRINTING

Publication

EP 0119958 B1 19890524 (FR)

Application

EP 84810115 A 19840307

Priority

CH 144383 A 19830316

Abstract (en)

[origin: WO8403663A1] A nucleophilic alkoxyated compound is bridged as a polyurethane by a polyisocyanate derivative or as a polyester by a polyacid derivative. A desensitizing ink for wet offset printing on an acceptor surface of a chemical duplicating set is thus obtained.

IPC 1-7

B41M 5/12

IPC 8 full level

B41M 5/124 (2006.01); **B41M 5/128** (2006.01); **C09D 11/02** (2014.01); **C09D 11/033** (2014.01)

CPC (source: EP US)

B41M 5/128 (2013.01 - EP US); **Y10T 428/31551** (2015.04 - EP US)

Citation (examination)

- PATENTS ABSTRACTS OF JAPAN, vol. 6, no. 89 (M-132)[967], 27 mai 1982; & JP - A - 57 25 991 (TOYO INK SEIZO K.K.) 10-02-1982
- PATENTS ABSTRACTS OF JAPAN, vol. 6, no. 65 (M-124)[943], 24 avril 1982; & JP - A - 57 4793 (TOYO INK SEIZO K.K.) 11-01-1982

Cited by

EP0333645A1; US8211531B2; JP2008529823A

Designated contracting state (EPC)

BE DE FR GB IT SE

DOCDB simple family (publication)

EP 0119958 A1 19840926; EP 0119958 B1 19890524; AU 2863584 A 19841009; AU 568854 B2 19880114; CA 1216388 A 19870106; CH 653049 A5 19851213; DE 3478293 D1 19890629; JP S60500759 A 19850523; PH 20466 A 19870114; US 4599111 A 19860708; WO 8403663 A1 19840927

DOCDB simple family (application)

EP 84810115 A 19840307; AU 2863584 A 19840312; CA 449033 A 19840307; CH 144383 A 19830316; DE 3478293 T 19840307; EP 8400122 W 19840312; JP 50182684 A 19840312; PH 30402 A 19840315; US 66837984 A 19841024