

Title (en)

MARINE PROPELLER DRIVEN BY AN ELECTRIC MOTOR, COMPRISING A PERMANENT MAGNET ROTOR SHAPED IN THE RING
CONNECTING THE PROPELLER BLAD TIPS

Publication

EP 0124720 B1 19860730 (DE)

Application

EP 84102623 A 19840310

Priority

DE 3312063 A 19830402

Abstract (en)

[origin: EP0124720A1] 1. Electrically driven propeller for watercraft with permanent excitation in a flange connecting the propeller blade ends and a stationarily mounted stator winding, in which the annular gap between stator and rotor is flooded, characterized thereby, that the propeller (1, 10) is at least in part arranged in a tunnel (4, 12), which is integrated into the stern of the ship and closed by a nozzle ring (6, 13) around the remaining circumference of the propeller, wherein shaft struts (8, 18) to the outer skin of the ship and to the rudder heel (17) and/or a shaft receptacle in the fixed part (15) of the rudder blade (16) serve to bear the propeller shaft (7, 14).

IPC 1-7

B63H 5/14; **B63H 23/24**

IPC 8 full level

B63H 1/16 (2006.01); **B63H 5/14** (2006.01); **B63H 23/24** (2006.01)

CPC (source: EP KR)

B63H 5/14 (2013.01 - EP); **B63H 23/24** (2013.01 - EP KR); **B63H 2023/005** (2013.01 - EP)

Cited by

GB2200802A

Designated contracting state (EPC)

BE DE FR GB IT NL SE

DOCDB simple family (publication)

DE 3312063 A1 19841004; DE 3460374 D1 19860904; EP 0124720 A1 19841114; EP 0124720 B1 19860730; FI 76748 B 19880831;
FI 76748 C 19881212; FI 841303 A0 19840402; FI 841303 A 19841003; JP S59223598 A 19841215; KR 840008629 A 19841217;
NO 156891 B 19870907; NO 156891 C 19871216; NO 841293 L 19841003

DOCDB simple family (application)

DE 3312063 A 19830402; DE 3460374 T 19840310; EP 84102623 A 19840310; FI 841303 A 19840402; JP 6346684 A 19840402;
KR 840001736 A 19840402; NO 841293 A 19840402