

Title (en)

INSULATING BAR FOR HEAT-INSULATED COMPOSITE FRAME MEMBERS FOR WINDOWS, DOORS OR FACADES AND METHOD OF INSERTING SAID INSULATING BAR

Publication

**EP 0125473 B1 19871021 (DE)**

Application

**EP 84103824 A 19840406**

Priority

DE 3316624 A 19830506

Abstract (en)

[origin: US4662054A] An insulating strip for a heat-insulated composite section with two metal rail sections and at least one insulating strip positioned between them and intended for windows, doors, or facades. The insulating strip has a rectangular basic cross-section with anchoring webs along the edge that are accommodated on at least one side in recesses in the metal rail sections. The anchoring webs at at least one end of the insulating strip end at a distance from the face that corresponds to the rectangular basic cross-section.

IPC 1-7

**E06B 3/26**

IPC 8 full level

**E06B 3/26** (2006.01); **E06B 1/18** (2006.01); **E06B 3/273** (2006.01)

CPC (source: EP US)

**E06B 3/273** (2013.01 - EP US); **Y10S 49/01** (2013.01 - EP US); **Y10T 29/49872** (2015.01 - EP US)

Designated contracting state (EPC)

AT BE FR GB IT LU NL SE

DOCDB simple family (publication)

**EP 0125473 A2 19841121**; **EP 0125473 A3 19860212**; **EP 0125473 B1 19871021**; AT E30351 T1 19871115; CA 1251031 A 19890314; DE 3316624 A1 19841108; DE 3316624 C2 19930325; DK 158050 B 19900319; DK 158050 C 19900820; DK 221884 A 19841107; DK 221884 D0 19840504; FI 75904 B 19880429; FI 75904 C 19880808; FI 841783 A0 19840504; FI 841783 A 19841107; JP H0247728 Y2 19901214; JP S6037583 U 19850315; NO 161014 B 19890313; NO 161014 C 19890621; NO 841805 L 19841107; US 4662054 A 19870505

DOCDB simple family (application)

**EP 84103824 A 19840406**; AT 84103824 T 19840406; CA 453630 A 19840504; DE 3316624 A 19830506; DK 221884 A 19840504; FI 841783 A 19840504; JP 6450584 U 19840502; NO 841805 A 19840504; US 79771485 A 19851113