

Title (en)

METHOD OF MODIFYING A CLOSURE MEMBER EQUIPPED WITH A LATCH OR A KEY-OPERATED LOCK AND UNIT FOR USE IN THE METHOD

Publication

EP 0129042 A3 19850814 (EN)

Application

EP 84105290 A 19840510

Priority

GB 8316418 A 19830616

Abstract (en)

[origin: EP0129042A2] A lock (11) fitted to a door (10) is modified by inserting an appropriate key into the lock so that a handle (12) of the key protrudes from the lock and applying a control unit (14) to the door to cover and engage drivingly the handle of the key. The control unit is responsive to a magnetically coded key, by means of which the control unit can be set in a condition in which torque is transmitted from a knob (18) to the key.

IPC 1-7

E05B 47/00

IPC 8 full level

G07C 9/00 (2006.01)

CPC (source: EP)

G07C 9/00738 (2013.01)

Citation (search report)

- [X] US 3995460 A 19761207 - SEDLEY BRUCE S
- [X] US 4133194 A 19790109 - SEDLEY BRUCE S, et al
- [A] GB 2022678 A 19791219 - NEIMAN SA
- [A] DE 2735879 A1 19780223 - ACCESS CONTROL SYST

Cited by

DE3530620C1; FR2754007A1; EP0365458A1; US5085062A; AU2006100498B4; GB2281339A; GB2281339B; WO2022185060A1

Designated contracting state (EPC)

AT BE CH DE FR GB IT LI LU NL SE

DOCDB simple family (publication)

EP 0129042 A2 19841227; EP 0129042 A3 19850814; GB 8316418 D0 19830720

DOCDB simple family (application)

EP 84105290 A 19840510; GB 8316418 A 19830616