

Title (en)

DEVICE FOR THE AUTOMATIC CONTROL OF A TRAVERSING OPERATION

Publication

EP 0129926 B1 19900919 (FR)

Application

EP 84200844 A 19840613

Priority

CH 346683 A 19830624

Abstract (en)

[origin: US4570875A] A sliding base is guided for vertical movement on an upright of the traverse mechanism. It bears a camera having its lens directed along a horizontal axis toward a vertical bank of lights. A drum supported by uprights and driven rotatably by a motor can move back and forth on rails, while the traversing carriage bearing vertical rolls guiding a cable can likewise move parallel to the axis of the drum in order to check and, if necessary, modify the approach angle formed by the incoming cable about to be laid on the winding. The silhouette of the zone of the winding where the turns are laid down is formed on a receiving surface within the camera, this surface taking the form of a photodiode grid, the periodic scanning of which yields signals sensing the conditions under which the cable is being wound.

IPC 1-7

B65H 54/28

IPC 8 full level

B65H 54/28 (2006.01)

CPC (source: EP US)

B65H 54/2875 (2013.01 - EP US); **B65H 2553/42** (2013.01 - EP US)

Citation (examination)

Fernseh & kino-Technik, Heft 4, 37. Jahrgang

Cited by

DE102018117687A1; BE1026139B1; CN109031562A; CN109323764A; DE19726285A1; US6443385B1; EP0602504A1; CN108689240A; WO9413568A1

Designated contracting state (EPC)

AT BE CH DE FR GB IT LI NL SE

DOCDB simple family (publication)

EP 0129926 A2 19850102; **EP 0129926 A3 19861126**; **EP 0129926 B1 19900919**; AT E56682 T1 19901015; CH 653654 A5 19860115; DE 3483221 D1 19901025; FI 76048 B 19880531; FI 76048 C 19880909; FI 842501 A0 19840620; FI 842501 A 19841227; JP H0229580 B2 19900629; JP S6097168 A 19850530; US 4570875 A 19860218

DOCDB simple family (application)

EP 84200844 A 19840613; AT 84200844 T 19840613; CH 346683 A 19830624; DE 3483221 T 19840613; FI 842501 A 19840620; JP 12838684 A 19840621; US 61991684 A 19840612