

Title (en)
LAMP

Publication
EP 0135021 B1 19880921 (DE)

Application
EP 84108343 A 19840716

Priority
DE 3330179 A 19830820

Abstract (en)

[origin: US4521833A] The invention concerns a light within whose handle-forming plastic housing (2) a button-cell battery (3) provided with a circumferential and a center surface pole can be brought into the switch-contact position against the force of a compression spring (6), a portion of the center surface pole (MP) of the button-cell battery coming into contact with a portion of a ring-shaped contact blade (9), the compression spring being arranged concentrically to the ring-shaped section (9') which rests on the housing bottom and the circumferential pole (UP) of the button-cell battery being in continuous contact (permanent contact) with a contact spring (16) which extends substantially tangentially to the button-cell battery, and it proposes, in order to obtain a shape which is simple to manufacture, compact and reliable in use, that the compression spring (6) lie free of contact in the opening (10) of the circular ring-shaped section (9') lying on the housing bottom (7) and, in the switch-contact position of the center surface pole (MP) of the button-cell battery (3) comes onto the ring-shaped section (9'). This shape of light can be developed so compactly that it can be used as actuating handle for a key.

IPC 1-7
F21L 7/00; F21L 15/00

IPC 8 full level
A47G 29/10 (2006.01); **E05B 17/10** (2006.01); **F21L 4/00** (2006.01); **F21V 33/00** (2006.01)

CPC (source: EP KR US)
E05B 17/103 (2013.01 - EP US); **F21L 2/00** (2013.01 - EP US); **F21L 4/00** (2013.01 - KR); **F21L 4/08** (2013.01 - KR);
Y10T 70/8676 (2015.04 - EP US)

Cited by
FR2597912A1

Designated contracting state (EPC)
AT BE CH DE FR GB IT LI NL SE

DOCDB simple family (publication)
EP 0135021 A1 19850327; EP 0135021 B1 19880921; DE 3330179 A1 19850404; DE 3474203 D1 19881027; JP S6074301 A 19850426;
KR 850002118 A 19850506; US 4521833 A 19850604

DOCDB simple family (application)
EP 84108343 A 19840716; DE 3330179 A 19830820; DE 3474203 T 19840716; JP 17010384 A 19840816; KR 840004987 A 19840818;
US 64200184 A 19840817