

Title (en)
CABLE JOINTS AND TERMINATIONS

Publication
EP 0136154 A3 19870520 (EN)

Application
EP 84306396 A 19840919

Priority
• GB 8423644 A 19840919
• US 53421983 A 19830920

Abstract (en)
[origin: GB2164805A] A cable termination (not shown) or joint in which two (1,2) cables are arranged in parallel and the cable conductors are joined (at 40), includes stress control material (41) round and between the cables, an insulating dielectric layer (27) across the joint, and a semiconductive layer (28) over the insulating layer (27) and connected to the shields (18,19) of the cables. The stress control material may be formed as a sheath round each cable (Fig. 1, not shown), or the material 41 may be extended along the cables. The stress control material preferably has an impedance of 5×10^{-7} to 8×10^{-9} ohm.cm. <IMAGE>

IPC 1-7
H02G 15/188; **H02G 15/068**

IPC 8 full level
H02G 15/068 (2006.01); **H02G 15/188** (2006.01)

CPC (source: EP)
H02G 15/068 (2013.01); **H02G 15/188** (2013.01)

Citation (search report)
• [Y] FR 2287793 A1 19760507 - RAYCHEM LTD [GB]
• [Y] US 4383131 A 19830510 - CLABBURN ROBIN J T
• [A] GB 2042818 A 19800924 - RAYCHEM GMBH
• [A] US 2923762 A 19600202 - FALKENSTEIN LOUIS F
• [A] GB 1280041 A 19720705 - SUMITOMO ELECTRIC INDUSTRIES [JP], et al

Cited by
EP0443331A1; EP0272131A3; CN104620329A; EP0482973A3; US5194692A; DE102013016099B4; WO2022025047A1; WO9921259A1; WO9840941A1; US9917434B2

Designated contracting state (EPC)
AT BE CH DE FR IT LI NL SE

DOCDB simple family (publication)
GB 2164805 A 19860326; **GB 2164805 B 19880713**; **GB 8423644 D0 19841024**; BR 8404698 A 19850813; CA 1244900 A 19881115; EP 0136154 A2 19850403; EP 0136154 A3 19870520

DOCDB simple family (application)
GB 8423644 A 19840919; BR 8404698 A 19840919; CA 463610 A 19840919; EP 84306396 A 19840919