

Title (en)  
METHOD AND APPARATUS FOR SPOT-DYEING YARNS

Publication  
**EP 0138138 A3 19860716 (DE)**

Application  
**EP 84111735 A 19841002**

Priority  
DE 3337093 A 19831012

Abstract (en)  
[origin: EP0138138A2] In the spot-dyeing of textile filamentary material, in particular a yarn (1), the latter is passed at high speed in the extended state past at least one colour spray nozzle (3) which rotates about an axis (7) which extends transversely to the yarn transport direction, spraying the yarn intermittently with dyeing liquor (8). To avoid regular pattern formation or patterning in the woven or knitted material made from the yarn thus dyed, the speed of rotation of the colour spray nozzle (3) is continuously varied in irregular fashion as the yarn moves past it. To this end, the drive of the rotating colour spray nozzle (7) is an electric motor (12) of variable speed whose control circuit (14) includes not only an adjustable voltage generator (15) for generating the basic control voltage but also, for continuously changing the control voltage (18') of the electric motor (12), one or more voltage generators (16, 17) with frequency and amplitude adjustability whose voltages are mutually superposed. <IMAGE>

IPC 1-7  
**D06B 11/00**

IPC 8 full level  
**D06B 11/00** (2006.01)

CPC (source: EP)  
**D06B 11/0023** (2013.01)

Citation (search report)  
• [X] GB 1549763 A 19790808 - COURTAULDS LTD  
• [A] FR 2304708 A1 19761015 - LUTZ & ULMER [DE]

Cited by  
CN109267260A; US5491858A

Designated contracting state (EPC)  
FR GB IT

DOCDB simple family (publication)  
**EP 0138138 A2 19850424; EP 0138138 A3 19860716; DE 3337093 A1 19850502; DE 3337093 C2 19860220**

DOCDB simple family (application)  
**EP 84111735 A 19841002; DE 3337093 A 19831012**