

Title (en)  
LIGHT PERMEABLE CONDUCTIVE MATERIAL

Publication  
**EP 0139557 B1 19901114 (EN)**

Application  
**EP 84401740 A 19840829**

Priority  
JP 15984483 A 19830831

Abstract (en)  
[origin: EP0139557A1] The material obtained by coating a small plate substrate with a conductive layer having a thickness of 7 to 120 nm, especially a metal oxide doped with different metals, is light permeable as well as conductive, wherein said plate substrate is selected from mica, illite, bravaisite, kaolinite, bentonite, montmorillonite, smectites, calcium phosphate and glass particle and its ratio of major axis to minor axis is 1-30 and its ratio of minor axis to thickness is 5 or more. This material is useful as the additive providing a transparent film with conductivity.

IPC 1-7  
**C03C 17/23**; **C09C 3/06**; **H01B 1/20**

IPC 8 full level  
**H01B 5/14** (2006.01); **C04B 41/50** (2006.01); **H01B 1/08** (2006.01); **H01B 1/20** (2006.01); **H01B 5/00** (2006.01)

CPC (source: EP US)  
**C04B 41/50** (2013.01 - EP US); **C04B 41/5025** (2013.01 - EP US); **H01B 1/08** (2013.01 - EP US); **C04B 2111/80** (2013.01 - EP US); **C04B 2111/94** (2013.01 - EP US); **Y10T 428/2991** (2015.01 - EP US); **Y10T 428/2996** (2015.01 - EP US)

Cited by  
DE102008062169A1; CN105849202A; DE4103231A1; DE102005018615B4; US5993894A; DE4213747A1; US5585037A; US5628932A; EP0373575A1; DE3842330A1; US5472640A; DE102008062170A1; US10040963B2; US6409815B1; EP3628644A1; WO2015067337A1; EP2366767A2; DE102010012197A1; DE102010052889A1; WO2012072174A1; DE102014018275A1; US10240045B2; DE102010052888A1; WO2012072173A1; WO9849112A1; WO2014202179A1; US9850384B2; DE102011101579A1; WO2012152262A1; DE102014018276A1; US9589698B2; US10266699B2; WO2012079677A1; DE102010054803A1; DE102017011800A1; WO2019121473A1; EP3010980B2

Designated contracting state (EPC)  
CH DE FR GB IT LI NL

DOCDB simple family (publication)  
**EP 0139557 A1 19850502**; **EP 0139557 B1 19901114**; DE 3483600 D1 19901220; JP H0410682 B2 19920226; JP S6050813 A 19850320; US 4568609 A 19860204

DOCDB simple family (application)  
**EP 84401740 A 19840829**; DE 3483600 T 19840829; JP 15984483 A 19830831; US 64484184 A 19840828