

Title (en)
SUPPORT FOR A RECESSED LIGHT FITTING

Publication
EP 0140058 B1 19871202 (DE)

Application
EP 84110631 A 19840906

Priority
DE 3334506 A 19830923

Abstract (en)
[origin: EP0140058A1] 1. A support for a recessed light fitting having a light housing (1), comprising a support arm (2) which is attached to a side wall (10) of the light housing (1) in such manner that it can be pivoted between a transport position and a support position about an axis of rotation (D) which extends parallel to the light outlet plane (11) of the light housing (1) and to the side wall (10), with a curved locking arm (31) which is connected to the support arm (2) at a coupling point (22) and which can be pivoted through a recess (101) in the side wall (10) and locks the support arm (2) in the support position and braces it against the side wall (10), characterised in that the locking arm (31) has a plurality of locking teeth (32) and is articulated to the support arm (2), and that a locking spring (33) is arranged between the support arm (2) and locking arm (31) which presses that side of the locking arm (31) which is provided with the locking teeth (32) against an edge (1011) of the recess (101), wherein the locking teeth are orientated in such manner that the support arm can be pivoted in the direction from the transport position to the support position and is locked in the opposite direction.

IPC 1-7
F21V 21/04

IPC 8 full level
F21V 21/04 (2006.01)

CPC (source: EP)
F21V 21/04 (2013.01)

Cited by
EP0947765A1; EP1659332A3; DE10012968B4; EP1731830A1; DE19520176A1; AT501026A3; AT501026B1; DE102005032264A1; DE102005032264B4; EP1134490A1

Designated contracting state (EPC)
AT CH DE LI SE

DOCDB simple family (publication)
EP 0140058 A1 19850508; EP 0140058 B1 19871202; AT E31217 T1 19871215; DE 3334506 A1 19850404; DE 3467924 D1 19880114; GR 80459 B 19850128; NO 161758 B 19890612; NO 161758 C 19890920; NO 843810 L 19850325

DOCDB simple family (application)
EP 84110631 A 19840906; AT 84110631 T 19840906; DE 3334506 A 19830923; DE 3467924 T 19840906; GR 840180459 A 19840924; NO 843810 A 19840921