

Publication

EP 0140438 A3 19850612

Application

EP 84201470 A 19841012

Priority

FR 8317032 A 19831024

Abstract (en)

[origin: EP0140438A2] 1. Process for the preparation of 2-chloropyridine by a chlorination reaction of pyridine by means of molecular chlorine, carried out in the vapour phase at temperatures of between 175 and 275 degrees C, in the presence of additives such as water vapour and of organic additives such as carbon tetrachloride, and employing catalysts, characterized in that as catalysts there is used at least one organic compound capable of generating free radicals under the chlorination reaction conditions.

IPC 1-7

C07D 213/61

IPC 8 full level

C07D 213/61 (2006.01)

CPC (source: EP)

C07D 213/61 (2013.01)

Citation (search report)

- [AD] US 4054499 A 19771018 - KAWAMURA MASAO, et al
- [AD] US 3153044 A 19641013 - ZASLOWSKY JOEL A
- [A] EP 0013474 A2 19800723 - ICI PLC [GB]
- [A] US 3173919 A 19650316 - HOWARD JOHNSTON, et al

Cited by

EP0357103A1; FR2634201A1

Designated contracting state (EPC)

AT BE CH DE FR GB IT LI LU NL SE

DOCDB simple family (publication)

EP 0140438 A2 19850508; EP 0140438 A3 19850612; EP 0140438 B1 19890906; AT E46148 T1 19890915; CA 1229614 A 19871124; DE 3479653 D1 19891012; FR 2553768 A1 19850426; FR 2553768 B1 19860207; JP H0587507 B2 19931216; JP S60166664 A 19850829

DOCDB simple family (application)

EP 84201470 A 19841012; AT 84201470 T 19841012; CA 466169 A 19841024; DE 3479653 T 19841012; FR 8317032 A 19831024; JP 22381684 A 19841024