

Title (en)
ELECTROMAGNETIC RELAY AND METHOD FOR ITS MANUFACTURE

Publication
EP 0142061 B1 19880420 (DE)

Application
EP 84112528 A 19841017

Priority
DE 3338182 A 19831020

Abstract (en)
[origin: EP0142061A1] 1. An electromagnetic relay comprising a coil body (1; 21) which carries a winding (27) and winding terminals (5, 6; 25, 26), at least one winding terminal has a fixing section (5d) that is retained in one of the coil flanges (3) when the coil body (1; 21) is released, and is bent at an angle in a section (5a, 6a; 25a, 26a) to form a spacer outside of the area in which it is embedded in the winding zone, and is again bent at an angle to form a terminal pin (5b, 6b; 25b, 26b) extending at right angles to the plane of insertion, characterised in that the fixing section (5d) extends in a straight line in a plane at right angles to the coil axis and has a round cross-section and thus an edge-free surface.

IPC 1-7
H01H 49/00; **H01H 50/44**; **H01F 41/10**

IPC 8 full level
H01F 41/10 (2006.01); **H01H 49/00** (2006.01); **H01H 50/44** (2006.01)

CPC (source: EP)
H01F 41/10 (2013.01); **H01H 49/00** (2013.01); **H01H 50/443** (2013.01); **H01H 2050/446** (2013.01)

Cited by
EP0348909A3; EP2251886A1

Designated contracting state (EPC)
AT DE FR GB IT

DOCDB simple family (publication)
EP 0142061 A1 19850522; **EP 0142061 B1 19880420**; AT E33730 T1 19880515; DE 3338182 A1 19850502; DE 3470629 D1 19880526

DOCDB simple family (application)
EP 84112528 A 19841017; AT 84112528 T 19841017; DE 3338182 A 19831020; DE 3470629 T 19841017