

Title (en)
PNEUMATIC TIRE

Publication
EP 0142857 B1 19910904 (EN)

Application
EP 84114033 A 19841120

Priority
JP 21783983 A 19831121

Abstract (en)
[origin: US4635693A] A pneumatic tire having a cap tread and a base tread is defined in way of material as follows: (1) said cap tread is made of a rubber material in which 100 pts. wt. of rubber component comprising at least 50 pts. wt. of natural rubber and/or polyisoprene rubber, at most 50 pts. wt. of polybutadiene rubber containing at most 20% of 1,2-bonding units and at most 50 pts. wt. of styrene-butadiene copolymer rubber containing at most 30 wt % of bonded styrene is incorporated with 50 to 100 pts. wt. of carbon black and with a softener in an amount satisfying the inequality; $1.1X-44 < y < 1.1X-30$, where y is the total amount of the softener in pts. Wt.; x is the amount of carbon black in pts. wt.; and an overall solubility parameter of the softener is in the range of from 8.0 to 9.0, (2) said base tread is made of a rubber material in which 100 pts. wt. of rubber component comprising at least 60 pts. wt. of natural rubber and/or polyisoprene rubber, at most 40 pts. wt. of polybutadiene rubber containing at most 20% of 1,2-bonding units and at most 40 pts. wt. of styrene-butadiene copolymer rubber containing at most 30 wt % of bonded styrene is incorporated with 2.6 to 3.6 pts. wt. of sulfur, and (3) said base tread has a volume fraction of 0.1 to 0.5 against the entire tread part.

IPC 1-7
B60C 1/00

IPC 8 full level
C08L 7/00 (2006.01); **B60C 1/00** (2006.01); **B60C 11/00** (2006.01); **C08K 3/00** (2006.01); **C08K 3/04** (2006.01); **C08K 5/00** (2006.01); **C08K 5/01** (2006.01); **C08K 5/04** (2006.01); **C08L 9/00** (2006.01); **C08L 9/06** (2006.01); **C08L 21/00** (2006.01)

CPC (source: EP KR US)
B60C 1/00 (2013.01 - KR); **B60C 1/0016** (2013.01 - EP US); **C08L 7/00** (2013.01 - EP KR US); **C08L 9/00** (2013.01 - EP US); **C08L 9/06** (2013.01 - EP US)

Cited by
EP0209125A3; EP0560182A1; CN108798698A; EP0265084A1; EP0505904A1; TR25604A; EP2902436A1

Designated contracting state (EPC)
BE DE GB NL

DOCDB simple family (publication)
US 4635693 A 19870113; CA 1222934 A 19870616; DE 3485010 D1 19911010; EP 0142857 A2 19850529; EP 0142857 A3 19870107; EP 0142857 B1 19910904; JP H0330622 B2 19910501; JP S60110509 A 19850617; KR 850004046 A 19850701; KR 920001620 B1 19920221

DOCDB simple family (application)
US 67334884 A 19841120; CA 468191 A 19841120; DE 3485010 T 19841120; EP 84114033 A 19841120; JP 21783983 A 19831121; KR 840007237 A 19841119