

Title (en)

RECHARGEABLE ELECTROCHEMICAL APPARATUS AND NEGATIVE POLE THEREFOR

Publication

EP 0144429 B1 19900919 (EN)

Application

EP 84901015 A 19840306

Priority

- JP 3687783 A 19830307
- JP 3687883 A 19830307
- JP 3688083 A 19830307
- JP 3688183 A 19830307
- JP 15832983 A 19830829

Abstract (en)

[origin: WO8403590A1] A rechargeable negative pole for an electrochemical apparatus using a non-aqueous electrolyte is made of an alloy consisting essentially of at least one element selected from the group of Sn, Pb, In and Bi, with Cd. A rechargeable electrochemical apparatus is provided with a combination of this negative pole and a positive pole, and can be reversibly charged. When immersed in a non-aqueous electrolyte containing alkali metal ions, the negative pole reversibly occludes and emits the alkali metal ions by this charge and discharge. The negative pole has a long charge-and-discharge life, since however many times the charge and discharge is repeated, the negative pole is not fragmented, and the negative pole maintains its electrode configuration stably. In addition, since the amount of alkali metal occluded per unit volume is large, the energy density is high.

IPC 1-7

H01M 4/38; **H01M 4/40**; **H01M 4/44**

IPC 8 full level

H01M 4/40 (2006.01); **H01M 4/66** (2006.01); **H01M 10/36** (2006.01)

CPC (source: EP US)

H01M 4/40 (2013.01 - EP US); **H01M 4/661** (2013.01 - EP US); **H01M 10/36** (2013.01 - EP US); **Y02E 60/10** (2013.01 - EP)

Citation (examination)

- JP S57141869 A 19820902 - YUASA BATTERY CO LTD
- PATENT ABSTRACTS OF JAPAN vol. 006, no. 243 (E - 145)<1121> 2 December 1982 (1982-12-02)

Cited by

EP0347952A3

Designated contracting state (EPC)

CH DE FR GB LI

DOCDB simple family (publication)

WO 8403590 A1 19840913; DE 3483244 D1 19901025; EP 0144429 A1 19850619; EP 0144429 A4 19850730; EP 0144429 B1 19900919; US 4683182 A 19870728

DOCDB simple family (application)

JP 8400086 W 19840306; DE 3483244 T 19840306; EP 84901015 A 19840306; US 87309386 A 19860604