

Title (en)

Method and apparatus for continuously applying a liquor to an elongate material.

Title (de)

Verfahren und Vorrichtung zum kontinuierlichen Auftragen einer Behandlungsflüssigkeit auf fadenförmige Materialien.

Title (fr)

Procédé et installation d'imprégnation en continu de matériaux filiformes.

Publication

**EP 0149535 A2 19850724 (EN)**

Application

**EP 85300188 A 19850111**

Priority

GB 8400844 A 19840113

Abstract (en)

The invention concerns a method of continuously applying a liquor to an elongate material, which comprises forming a linear assembly comprising a plurality of yarns, filaments, tow, threads or twines, hereinafter referred to as "linear assembly", continuously feeding liquor to said linear assembly whereby to impregnate said linear assembly with said liquor, characterised in that said liquor/linear assembly combination is continuously passed through an elongate treatment zone and through at least one constrictive throat located in said elongate treatment zone, the at least one said constrictive throat having a cross-sectional area smaller than that of the linear assembly immediately prior to its passage through said at least one constrictive throat such that said linear assembly is compacted on passage through said at least one constrictive throat, and wherein, after passage through said at least one constrictive throat, said liquor/linear assembly combination passes through a region in which it is maintained in a uniform, composite state. The invention also includes an apparatus for carrying out the said method.

IPC 1-7

**D06B 3/04**

IPC 8 full level

**D06B 3/04** (2006.01)

CPC (source: EP)

**D06B 3/045** (2013.01)

Cited by

FR2643918A1; WO9012141A1

Designated contracting state (EPC)

AT BE CH DE FR IT LI NL

DOCDB simple family (publication)

**EP 0149535 A2 19850724; EP 0149535 A3 19850821**; GB 2152855 A 19850814; GB 8400844 D0 19840215; GB 8500673 D0 19850213

DOCDB simple family (application)

**EP 85300188 A 19850111**; GB 8400844 A 19840113; GB 8500673 A 19850111