

Title (en)

Apparatus for removing and stacking cuttings of sheet metal falling behind the cutting line of a plate-shearing machine.

Title (de)

Einrichtung zum Wegführen und Stapeln von hinter der Schneidstelle einer Blechschere anfallenden Blechabschnitten.

Title (fr)

Dispositif pour évacuer et empiler des pièces de tôle tombant derrière la ligne de coupe d'une cisaille guillotine.

Publication

**EP 0150809 A2 19850807 (DE)**

Application

**EP 85100693 A 19850124**

Priority

AT 29584 A 19840130

Abstract (en)

[origin: US4644834A] A feed lever and a lateral stop with individual guide members spaced apart and arranged in slot-shaped grooves of the metal feed table supported so that they can be raised and lowered on a support. The guide members are each equipped with a guide body possessing a lateral stop in the form of a roller. These rollers come up against the edge to be guided of the sheet metal plate. A guide and clamping device is located alongside of each roller. The apparatus allows sheet metal plates to be accommodated, spaced apart from one another in several stacks, these sheet metal plates being cut at different locations on the cutting knife.

Abstract (de)

Das Wegführen und Stapeln von hinter der Schneidstelle einer Blechschere anfallenden Blechabschnitten (2) erfolgt mit Hilfe einer rechenförmigen Blechstütze (3). Mit der Blechstütze (3) arbeitet ein Abstreifer (10) und ein Beschleuniger (6) zusammen, zwischen welchen der Blechabschnitt eingeklemmt und zur Stapelstelle (12a) transportiert wird. Beschleuniger (6) und Abstreifer (10) werden zusammen mit dem Blechabschnitt an der Stapelstelle festgehalten, während die Blechstütze (3) weiter bewegt und der Blechabschnitt (2) abgesetzt wird. An beiden Seiten der Blechstütze sind ferner Zentrieranschläge (5) vorhanden. Da die Blechstütze (3) an der Stapelstelle nicht abgetrennt und anschliessend wieder beschleunigt werden muss, kann die Steuerung derselben sehr einfach erfolgen.

IPC 1-7

**B21D 43/22**; **B65H 29/34**

IPC 8 full level

**B23D 33/00** (2006.01); **B21D 43/22** (2006.01); **B21D 43/28** (2006.01); **B65H 29/34** (2006.01)

CPC (source: EP US)

**B21D 43/22** (2013.01 - EP US); **B21D 43/287** (2013.01 - EP US); **B65H 29/34** (2013.01 - EP US); **Y10T 83/2057** (2015.04 - EP US); **Y10T 83/6539** (2015.04 - EP US); **Y10T 83/6568** (2015.04 - EP US); **Y10T 83/727** (2015.04 - EP US); **Y10T 83/743** (2015.04 - EP US); **Y10T 83/744** (2015.04 - EP US); **Y10T 83/7573** (2015.04 - EP US)

Cited by

CN108858364A; DE102010023250A1

Designated contracting state (EPC)

BE CH DE FR GB IT LI NL SE

DOCDB simple family (publication)

**EP 0150809 A2 19850807**; **EP 0150809 A3 19870506**; **EP 0150809 B1 19890809**; AT 380415 B 19860526; AT A29584 A 19851015; DE 3572131 D1 19890914; JP S60167708 A 19850831; US 4644834 A 19870224; US 4700599 A 19871020

DOCDB simple family (application)

**EP 85100693 A 19850124**; AT 29584 A 19840130; DE 3572131 T 19850124; JP 1115285 A 19850125; US 69631885 A 19850130; US 88385586 A 19860710