

Title (en)
FLAME RESISTANT COAXIAL HIGH FREQUENCY CABLE

Publication
EP 0150879 B1 19910724 (DE)

Application
EP 85200055 A 19850121

Priority
DE 3402762 A 19840127

Abstract (en)
[origin: EP0150879A2] To improve the flame-resistance of coaxial radio-frequency cables, the space between the inner and outer conductor is filled to less than 70% with a halogen-free material, the outer conductor has a number of shells from metal foil and mesh, and the protective sleeve is produced from a material whose oxygen index at 20 DEG C is at least 35%. <IMAGE>

IPC 1-7
H01B 7/34; H01B 11/18

IPC 8 full level
H01B 7/295 (2006.01); **H01B 11/18** (2006.01); **H01P 3/06** (2006.01)

CPC (source: EP)
H01B 7/295 (2013.01); **H01B 11/1808** (2013.01)

Cited by
GB2260216A; GB2260216B; GB2329278A; GB2329278B; EP3679590A4; WO2019047929A1; US11152138B2

Designated contracting state (EPC)
AT DE FR GB NL

DOCDB simple family (publication)
EP 0150879 A2 19850807; EP 0150879 A3 19880921; EP 0150879 B1 19910724; AT E65639 T1 19910815; DE 3402762 A1 19850801; DE 3583509 D1 19910829; JP S60176304 A 19850910

DOCDB simple family (application)
EP 85200055 A 19850121; AT 85200055 T 19850121; DE 3402762 A 19840127; DE 3583509 T 19850121; JP 1175185 A 19850124