

Title (en)
Connector mechanisms.

Title (de)
Kontaktmechanismus.

Title (fr)
Mécanisme de contact.

Publication
EP 0151253 A2 19850814 (EN)

Application
EP 84114672 A 19841204

Priority
US 57746084 A 19840206

Abstract (en)
A connector mechanism for electrically connecting two structures 22, 24 carrying conducting lines 26, comprises fixed contacts 28 on one of the structures and floating contacts 30 on the other of the structures, the floating contacts being free to move towards and away from the fixed contacts and across the fixed contacts as independent motions, under the control of a common actuator 50, 52, 54, each floating contact being an electrically integral part, carried by the actuator, of a flexible conductive film 34. The provision of a shroud 46 on the fixed contact structure carrying markings 48A, 48B registered with the fixed contacts 28 and engaging the actuator provides coarse location, while the flexibility of the film and the mounting of the floating contacts on a resilient pad 38 on a carriage 50 provided with cam followers 54 riding on a multi-throw linear cam 52, together comprising the actuator permits independent locating and wiping motions, independently of each other and at selected pressures, including zero pressure on insertion, making the connector mechanism an effective ZIF connector.

IPC 1-7
H01R 13/193; **H01R 23/68**

IPC 8 full level
H01R 12/89 (2011.01); **H01R 24/00** (2006.01)

CPC (source: EP)
H01R 12/89 (2013.01)

Cited by
EP0402613A3; US4846713A; EP0367737A3; EP0378819A1; EP0440528A3; FR2657744A1; EP0438504A4; EP0683549A3; US4840575A; EP0683549A2

Designated contracting state (EPC)
DE FR GB

DOCDB simple family (publication)
EP 0151253 A2 19850814; **EP 0151253 A3 19870204**; **EP 0151253 B1 19900912**; DE 3483209 D1 19901018; JP H0235430 B2 19900810; JP S60165073 A 19850828

DOCDB simple family (application)
EP 84114672 A 19841204; DE 3483209 T 19841204; JP 26469084 A 19841217