

Title (en)
TIMBER PRODUCTION

Publication
EP 0158580 B1 19910731 (EN)

Application
EP 85630036 A 19850327

Priority
• ZA 842324 A 19840329
• ZA 842327 A 19840329

Abstract (en)
[origin: EP0158580A1] A process and apparatus for use in wet mill sawing in which a log or cant (flitch) (113) is oriented with its main longitudinal curvature in a horizontal plane on the in-feed table to the gang saw (115) and is sawn around the curve centered on the centre line (117) of the log or cant (113) in double taper sawing to produce boards or deals which can afterwards be straightened in the kiln. Automated detection of the edge (200) of the flat surface of a cant is used to align this edge with a saw blade (205) to ensure the cutting of a full deal. These techniques are optimised for timber production gains over conventional practice.

IPC 1-7
B27B 31/00

IPC 8 full level
B27B 1/00 (2006.01); **B27B 25/02** (2006.01); **B27B 31/06** (2006.01)

CPC (source: EP)
B27B 1/007 (2013.01); **B27B 25/02** (2013.01); **B27B 31/06** (2013.01)

Cited by
AT403132B; AT405919B; US5469904A; WO9218300A1; WO9308002A1

Designated contracting state (EPC)
AT DE FR SE

DOCDB simple family (publication)
EP 0158580 A1 19851016; EP 0158580 B1 19910731; AU 4050385 A 19851031; AU 583498 B2 19890504; BR 8501418 A 19851126; DE 3583625 D1 19910905; NZ 211502 A 19890329; ZW 6085 A1 19850807

DOCDB simple family (application)
EP 85630036 A 19850327; AU 4050385 A 19850328; BR 8501418 A 19850328; DE 3583625 T 19850327; NZ 21150285 A 19850319; ZW 6085 A 19850325