

Title (en)

CLOSURE WITH MEANS FOR MOUNTING SAID CLOSURE IN A PREDETERMINED POSITION ON A BOTTLE OF GLASS OR OTHER RIGID MATERIAL, AND BOTTLE WITH SUCH A CLOSURE MEANS

Publication

EP 0179706 B1 19880210 (FR)

Application

EP 85401951 A 19851007

Priority

FR 8415590 A 19841011

Abstract (en)

[origin: ES289511U] The stoppering device comprises an internally threaded stopper and an externally threaded bottle neck, the bottle neck being provided with a flange situated axially between on the one hand the lower end of the thread of the neck and on the other hand the body of the bottle proper, the bottle neck comprising on this flange at least two radially outwardly projecting catches of which one constitutes an orientation stop and the other a lobe to prevent unscrewing. The stopper comprises at least one catch made of a slightly deformable substance which, after screwing down, becomes accommodated between the two catches of the bottle neck. The orientation stop and the lobe to prevent unscrewing have different shapes, and the orientation stop extends along a direction parallel to the axis of the bottle neck over an axial extent which is greater than that of the flange and the orientation stop projects in relation to this flange on the opposite side from the thread.

IPC 1-7

B65D 41/04

IPC 8 full level

B65D 41/04 (2006.01)

CPC (source: EP US)

B65D 41/04 (2013.01 - EP US); **B65D 41/0471** (2013.01 - EP US); **B65D 2251/065** (2013.01 - EP US); **B65D 2501/0081** (2013.01 - EP US)

Cited by

DE102004047013B4; US8028848B2; US5213225A; US5454476A; US5769254A; CN108473237A; US10730669B2; WO2009002717A1; WO2007094907A1; EP1069052A1; FR2796363A1; EP1069046A1; FR2796362A1; US11312543B2; US11702251B2; US11794956B2

Designated contracting state (EPC)

BE CH DE GB IT LI NL

DOCDB simple family (publication)

EP 0179706 A1 19860430; **EP 0179706 B1 19880210**; DE 179706 T1 19870115; DE 3561589 D1 19880317; ES 289511 U 19860301; ES 289511 Y 19861001; FR 2571696 A1 19860418; FR 2571696 B1 19870220; JP H0319859 U 19910227; JP S61115847 A 19860603; US 4662530 A 19870505

DOCDB simple family (application)

EP 85401951 A 19851007; DE 3561589 T 19851007; DE 85401951 T 19851007; ES 289511 U 19851010; FR 8415590 A 19841011; JP 22666885 A 19851011; JP 7748690 U 19900723; US 78354885 A 19851003