

Title (en)
IMPROVEMENTS IN OR RELATING TO MANUFACTURE OF BUILDING BLOCKS

Publication
EP 0182619 A3 19880720 (EN)

Application
EP 85308308 A 19851114

Priority
• GB 8429558 A 19841122
• GB 8504398 A 19850220
• GB 8504399 A 19850220

Abstract (en)
[origin: EP0182619A2] An apparatus for manufacturing a building block is of the type having a mould box (1), and at least one core (3) rigidly mounted in the mould box by means of a spacer bar (4). At least a portion of the moulding surface of the core and/or the mould box is formed from a rubbery polymer. The polymer may be used as a coating (8) and/or the core (3) may be a moulding of the polymer. An undercut may be made in a block by providing a core (16) with an expandable resilient portion. The polymer may also be used to provide a cushion (8) under the lower edge of the mould box (1). In the process using the apparatus the mould box (1) and core (3) are removed from uncured mould blocks after a very short time e.g. 1 to 60 seconds.

IPC 1-7
B28B 7/36; **B28B 7/34**; **B28B 7/30**

IPC 8 full level
B28B 7/18 (2006.01); **B28B 7/30** (2006.01); **B28B 7/34** (2006.01); **B28B 7/36** (2006.01)

CPC (source: EP)
B28B 7/183 (2013.01); **B28B 7/303** (2013.01); **B28B 7/348** (2013.01); **B28B 7/364** (2013.01)

Citation (search report)
• [X] US 1584595 A 19260511 - KURT BADER
• [X] DE 2444715 A1 19750403 - KYOKUTO MCGREGOR K K
• [A] BE 387678 A
• [A] DE 1238829 B 19670413 - EUGEN WIEST DIPL ING, et al
• [A] DE 1074849 B
• [A] FR 809116 A 19370224

Cited by
GB2283198A; GB2283198B; CN1035933C; EP1967340A3; EP1967341A3; US7813785B2; WO0130552A1; WO9422648A1; WO2007101869A3; DE102008000459A1

Designated contracting state (EPC)
BE DE FR IT NL

DOCDB simple family (publication)
EP 0182619 A2 19860528; **EP 0182619 A3 19880720**; GB 2174034 A 19861029; GB 2174034 B 19881116; GB 8528414 D0 19851224

DOCDB simple family (application)
EP 85308308 A 19851114; GB 8528414 A 19851119