

Title (en)  
LOCKING DEVICE FOR TELESCOPIC ELEMENTS OF A LIFT

Publication  
**EP 0187976 B1 19911204 (DE)**

Application  
**EP 85116068 A 19851217**

Priority  
DE 3500841 A 19850112

Abstract (en)  
[origin: EP0187976A2] A locking device between two or more telescopic elements, movable relative to one another, of a cage or goods lift. Here, the individual telescopic elements are mutually locked by trip-dog carriers or locking pawls. This locking can be designed to occur automatically and to be released by the actuation of a pulling rope or vice versa. The essential feature of the invention is that the rope extension of the pulling rope run over a plurality of telescopic elements is compensated by pulley-block-like turning of the pulling rope, i.e. a substantially greater shortening is effected at reduced expenditure of force in the pulling rope compared with the unlocking or locking rope. Consequently, there is not only a transmission ratio within the pulling rope itself but also between the pulling rope and the locking or unlocking rope. <IMAGE>

IPC 1-7  
**B66B 9/20**

IPC 8 full level  
**B66F 9/20** (2006.01); **B66B 7/02** (2006.01); **B66B 9/02** (2006.01); **B66B 9/16** (2006.01); **E06C 5/02** (2006.01); **E06C 5/12** (2006.01); **E06C 7/06** (2006.01)

CPC (source: EP)  
**B66B 9/16** (2013.01); **E06C 5/02** (2013.01); **E06C 5/12** (2013.01)

Cited by  
GB2262931A; EP0409059A3

Designated contracting state (EPC)  
AT BE CH DE FR GB IT LI LU NL SE

DOCDB simple family (publication)  
**EP 0187976 A2 19860723; EP 0187976 A3 19880803; EP 0187976 B1 19911204**; AT E70026 T1 19911215; DE 3584834 D1 19920116; ES 550790 A0 19870316; ES 8704137 A1 19870316; JP S62116486 A 19870528; SU 1586508 A3 19900815

DOCDB simple family (application)  
**EP 85116068 A 19851217**; AT 85116068 T 19851217; DE 3584834 T 19851217; ES 550790 A 19860110; JP 27808685 A 19851212; SU 3990807 A 19851211