

Title (en)  
DISPLAY CONTROLLER

Publication  
**EP 0191382 A3 19891129 (EN)**

Application  
**EP 86101276 A 19860131**

Priority  
JP 2666485 A 19850215

Abstract (en)  
[origin: EP0191382A2] The display controller incorporates means (microprocessor 22) to position the cursor on a screen (28) rapidly from its present location to operator selectable fields, whose positions are indicated by special codes in the refresh buffer (24). A special selectable field tab key (33) is provided in the keyboard to activate this function.

IPC 1-7  
**G09G 1/00**

IPC 8 full level  
**G06F 3/0481** (2013.01); **G06F 3/14** (2006.01); **G09G 5/08** (2006.01)

CPC (source: EP)  
**G09G 5/08** (2013.01)

Citation (search report)  
• [X] US 3524182 A 19700811 - CRISCIMAGNA TONY N  
• [A] US 4101879 A 19780718 - KAWAJI MITSUO, et al  
• [Y] IBM TECHNICAL DISCLOSURE BULLETIN, vol. 25, no. 1, June 1982, pages 221,222, New York, US; T.L. ADAM et al.: "Cursor left/right/up/down"  
• [A] IBM TECHNICAL DISCLOSURE BULLETIN, vol. 22, no. 5, October 1979, pages 2103-2105, New York, US; I.D. JUDD et al.: "Microprocessor-controlled cursors"

Cited by  
EP0383938A4; EP0406430A4

Designated contracting state (EPC)  
DE FR GB

DOCDB simple family (publication)  
**EP 0191382 A2 19860820; EP 0191382 A3 19891129; JP H0327916 B2 19910417; JP S61188586 A 19860822**

DOCDB simple family (application)  
**EP 86101276 A 19860131; JP 2666485 A 19850215**