

Title (en)

MAGNETIC FIELD-GENERATING DEVICE

Publication

EP 0191392 A3 19861210 (DE)

Application

EP 86101356 A 19860203

Priority

DE 3505281 A 19850215

Abstract (en)

[origin: US4740758A] Apparatus for generating a magnetic field having a spatially predetermined field pattern in a useful volume, where bodies of ferro-magnetic material influencing the field pattern are disposed in the useful volume. To assure a spatially predetermined field pattern in the useful volume with only small field errors, outside and on opposite sides of the useful volume at least one thin plate-shaped body of predetermined geometric extent comprising a material having high permeability is provided, of which the surfaces facing the useful volume are shaped and arranged so that the surfaces lie on a magnetic equipotential surface of the magnetic field to be generated in the useful volume.

IPC 1-7

H01F 7/20; H05H 7/04; G21K 1/08

IPC 8 full level

B01D 59/48 (2006.01); **G21K 1/08** (2006.01); **G21K 1/093** (2006.01); **H01F 6/00** (2006.01); **H01F 7/20** (2006.01); **H05H 7/04** (2006.01)

CPC (source: EP US)

G21K 1/093 (2013.01 - EP US); **H01F 7/20** (2013.01 - EP US); **H05H 7/04** (2013.01 - EP US)

Citation (search report)

- [A] DE 2514583 A1 19751030 - SIEMENS AG
- [A] DE 2045978 A1 19710325 - SCIENCE RES COUNCIL
- [A] NUCLEAR INSTRUMENTS AND METHODS, Band 157, Nr.1, November 1978, Seiten 71-73, Amsterdam, NL; D. KRAMARCZYK et al.: "Shielding a high magnetic field with a superconducting tube"
- [A] NUCLEAR INSTRUMENTS AND METHODS, Band 204, 1982, Seiten 1-20, Amsterdam, NL; S. ROSANDER et al.: "The 50 MeV racetrack microtron at the royal institute of technology Stockholm"

Cited by

EP0276123A3

Designated contracting state (EPC)

CH DE FR GB IT LI

DOCDB simple family (publication)

EP 0191392 A2 19860820; EP 0191392 A3 19861210; EP 0191392 B1 19890517; DE 3505281 A1 19860821; DE 3663412 D1 19890622;
JP S61188907 A 19860822; US 4740758 A 19880426

DOCDB simple family (application)

EP 86101356 A 19860203; DE 3505281 A 19850215; DE 3663412 T 19860203; JP 2874086 A 19860212; US 82610586 A 19860205