

Title (en)  
NICOTINE ENHANCED SMOKING DEVICE

Publication  
**EP 0198268 A3 19890329 (EN)**

Application  
**EP 86103906 A 19860321**

Priority  
• US 71469685 A 19850321  
• US 77213185 A 19850830

Abstract (en)  
[origin: EP0198268A2] A nicotine-dispensing device comprising a housing and a gas-permeable nicotine-dispensing unit. The housing is resistant to nicotine absorption and adsorption and has a mouthpiece end with an opening and a cigarette-receiving end with an opening. The housing defines a passageway between the openings. The gas-permeable nicotine-dispensing unit comprises nicotine and a fibrous or porous adsorptive for nicotine and is resistant to nicotine absorption. This nicotine-dispensing unit is interposed in the passageway of the housing so that gases passing through the passageway become enriched in vaporous nicotine. The device is preferably formed as a single-pieced or two-pieced cigarette holder and may contain the nicotine-dispensing unit as a cartridge.

IPC 1-7  
**A24F 13/06**; **A24F 47/00**

IPC 8 full level  
**A24F 13/02** (2006.01); **A24F 13/06** (2006.01); **A24F 47/00** (2006.01)

CPC (source: EP US)  
**A24F 13/06** (2013.01 - EP US)

Citation (search report)  
• [X] GB 1307363 A 19730221 - DIKSTEIN S  
• [Y] CH 242681 A 19460531 - KEMPERLING NORMAN DR [AT]  
• [A] FR 1589807 A 19700406  
• [AD] US 3584630 A 19710615 - INSKEEP GEORGE ESLER  
• [A] US 4340072 A 19820720 - BOLT ANTHONY J N, et al  
• [A] US 2860638 A 19581118 - FRANK BARTOLOMEO  
• [AD] US 4227540 A 19801014 - EDISON ROBERT G

Cited by  
EP2944205A1; US5996589A; FR2598599A1; BE1000493A5; WO9944448A1; US10039318B2; WO2013127538A1; WO2015173105A1; WO2009003204A3; EP0202512B1

Designated contracting state (EPC)  
AT BE CH DE FR GB IT LI LU NL SE

DOCDB simple family (publication)  
**EP 0198268 A2 19861022**; **EP 0198268 A3 19890329**; CA 1245531 A 19881129; JP H0817689 B2 19960228; JP S61257176 A 19861114

DOCDB simple family (application)  
**EP 86103906 A 19860321**; CA 504311 A 19860317; JP 6382486 A 19860320