

Title (en)

Method and apparatus for the combustion of solid, liquid, gaseous or paste-like fuels in a fluidized-bed furnace.

Title (de)

Verfahren und Vorrichtung zur Verbrennung von festen, flüssigen, gasförmigen oder pastösen Brennstoffen in einem Wirbelschichtofen.

Title (fr)

Procédé et dispositif de combustion des combustibles solides, liquides, gazeux ou pâteux dans un four à lit fluidisé.

Publication

EP 0202215 A2 19861120 (DE)

Application

EP 86890070 A 19860320

Priority

AT 128785 A 19850430

Abstract (en)

Solid, liq. gaseous or pasty materials can be burned in a fluidised bed furnace wherein one or more vertical partitions, e.g. an open-ended cylinder immersed in the bed, produce zones, which the O₂-contg. fluidising gas fluidises to different extents, producing internal circulation of solids. Most of the fuel is delivered into a zone with reduced fluidisable, i.e. where the predominant, coarse wet fuel is supported by a laterally entering feed worm while fine dry fuel and also any liq. or pasty material) is taken by a lance into the bed centre. Sub-stoichiometric O₂ supplies in the fuel admission area permit graduated combustion, with reduced NO_x emission. The penetrates may be a heat exchanger, with fluid media circulating in internal tubing.

Abstract (de)

A clock signal having a predetermined phase relationship relative to a signal element of an analog signal that repeats at a nominally fixed frequency is generated by an oscillator having an oscillation frequency that depends on the value of a control signal. The input analog signal is sampled under control of the clock signal, and a succession of digital words representing the amplitudes of the successive samples is generated. The digital words are written into memory, and are digitally analyzed in order to determine the phase, within the cycle of the clock signal, of the signal element. The signal that represents the phase of the signal element relative to the clock signal is used as a control signal for controlling the frequency of oscillation of the oscillator.

IPC 1-7

F23C 11/02; F22B 31/00; F23J 1/00

IPC 8 full level

F22B 31/00 (2006.01); **F23C 10/02** (2006.01); **F23C 10/24** (2006.01)

CPC (source: EP)

F22B 31/0092 (2013.01); **F23C 10/02** (2013.01); **F23C 10/24** (2013.01)

Cited by

AT405937B; AT401419B; FR2635274A1; EP2146143A2; WO2010057714A3; US8819987B2; US8919289B2; EP2997307B1

Designated contracting state (EPC)

BE CH DE FR GB IT LI NL SE

DOCDB simple family (publication)

EP 0202215 A2 19861120; **EP 0202215 A3 19870415**; AT 382227 B 19870126; AT A128785 A 19860615

DOCDB simple family (application)

EP 86890070 A 19860320; AT 128785 A 19850430