

Title (en)  
Tap for a liquid container.

Title (de)  
Zapfhahn für Flüssigkeitsbehälter.

Title (fr)  
Robinet pour récipient de liquide.

Publication  
**EP 0213783 A1 19870311 (EN)**

Application  
**EP 86306020 A 19860805**

Priority  
GB 8519776 A 19850807

Abstract (en)  
The tap has a hollow cylindrical body (12) closed by a diaphragm (14) at one end and having a radial outlet (16). A valve closure member (30) is axially movable by pressure on the diaphragm through a mechanism (60) to lift a closure flange (38) off a seat (20). An annular passage (40) is defined between the body wall and a cylindrical wall (35) of the valve closure member to provide laminar flow from the valve seat to the outlet. A conical end (36) of the valve closure member faces the flow of liquid and is surrounded by a frusto-conical wall (53) to define a divergent annular chamber (54) of uniform cross-section leading to the annular passage (40). This chamber reduces in cross-sectional area as the tap is opened. This combination of features substantially prevents swirling and turbulence and permits dispensing of carbonated liquids without loss of carbonation.

IPC 1-7  
**B67D 1/14**; F16K 47/04; B67D 3/04

IPC 8 full level  
**B67D 1/14** (2006.01); **B67D 3/04** (2006.01)

CPC (source: EP)  
**B67D 1/1405** (2013.01); **B67D 3/043** (2013.01)

Citation (search report)  
• [YD] GB 977660 A 19641209 - DOLE VALVE CO  
• [Y] FR 1167837 A 19581201 - GASKELL & CHAMBERS LTD

Cited by  
WO0041964A1; FR2788326A1; AU750100B2; GB2277366A; GB2277366B; US10526190B2; US10131530B2; WO2014072010A1; US9493334B2; US6296157B1; US6360925B2

Designated contracting state (EPC)  
BE CH DE FR IT LI NL SE

DOCDB simple family (publication)  
**EP 0213783 A1 19870311**; AU 6086286 A 19870212; GB 2178827 A 19870218; GB 2178827 B 19890105; GB 8519776 D0 19850911; GB 8619105 D0 19860917; ZA 865874 B 19870429

DOCDB simple family (application)  
**EP 86306020 A 19860805**; AU 6086286 A 19860805; GB 8519776 A 19850807; GB 8619105 A 19860805; ZA 865874 A 19860805