

## Title (en)

GEAR UNIT, ESPECIALLY TRANSFER CASE BETWEEN THE DRIVEN AXLES OF A MOTOR VEHICLE

## Publication

**EP 0216749 B1 19881221 (DE)**

## Application

**EP 86890251 A 19860908**

## Priority

AT 268085 A 19850913

## Abstract (en)

[origin: US4729262A] A transmission unit particularly intended for use as a differential between driven axles of a vehicle comprises an epicyclic gear train having three rotatable members, specifically, an input member connected to an input shaft, a second member connected to one section of a liquid friction coupling, and an output member connected to an output shaft. To avoid an occurrence of constraining torques as the vehicle is steered and to permit a modulation within a wide range of the relationship between the speed difference between the sections of the coupling and the torque limit of the transmission unit, the second section of the liquid friction coupling is non-rotatably connected to a stationary structure of the transmission unit, specifically to a housing of the epicyclic gear train. Alternatively, said second section of the coupling may be adapted to be held against rotation by a brake, so that the axles of the vehicles can easily be uncoupled from each other. Output torque is delivered from the transmission unit only by the output member of the epicyclic gear train.

## IPC 1-7

**B60K 17/34; F16D 35/00**

## IPC 8 full level

**F16H 3/44** (2006.01); **B60K 17/344** (2006.01); **B60K 17/346** (2006.01); **B60K 17/35** (2006.01); **F16D 13/00** (2006.01); **F16D 35/00** (2006.01); **F16H 3/46** (2006.01); **F16H 48/26** (2006.01); **F16H 48/10** (2012.01)

## CPC (source: EP US)

**B60K 17/351** (2013.01 - EP US); **F16D 35/005** (2013.01 - EP US); **F16H 48/10** (2013.01 - EP US)

## Cited by

DE102006014932A1; DE3924340A1; DE3924520A1; WO2007141118A1; US11629792B2

## Designated contracting state (EPC)

DE FR GB IT

## DOCDB simple family (publication)

**EP 0216749 A1 19870401; EP 0216749 B1 19881221; EP 0216749 B2 19920624**; AT 389577 B 19891227; AT A268085 A 19890515; DE 3661466 D1 19890126; JP H0721301 B2 19950308; JP S6263242 A 19870319; US 4729262 A 19880308

## DOCDB simple family (application)

**EP 86890251 A 19860908**; AT 268085 A 19850913; DE 3661466 T 19860908; JP 21181886 A 19860910; US 90592986 A 19860910