Title (en)

METHOD AND APPARATUS FOR WINDING WIRE ROD

Publication

EP 0218757 B1 19900314 (EN)

Application

EP 85306078 A 19850827

Priority

EP 85306078 A 19850827

Abstract (en)

[origin: EP0218757A1] An apparatus for winding wire rods (14) which are fed in succession from a rolling mill (10) along a wire path (12), comprising: a carriage (20) which is movable, at one end of the wire path (12) remote from the rolling mill (10), in a direction transverse, preferably perpendicular to the wire path (12); plural wire winders (16,18) for winding the wire rods (14), the wire winders (16,18) being mounted on the carriage (20) such that the wire winders (16,18) are disposed in the direction of movement of the carriage (20); and a device (34) for moving the carriage (20) to position selected one of the wire winders (16,18) to its winding position. A winding method is also disclosed, which comprises: positioning one of the wire winders at its winding position and winding the wire rod as a first coil by this one wire winder; upon completion of winding of the wire rod as the first coil, positioning the above one wire winder to its non-winding position before the leading end of the next wire rod as a second coil by this another wire winder, while concurrently taking out the first coil from the previously operated wire winder.

IPC 1-7

B21C 47/04; B21C 47/24; B65H 54/80

IPC 8 full level

B21C 47/04 (2006.01); **B21C 47/24** (2006.01)

CPC (source: EP)

B21C 47/045 (2013.01); B21C 47/245 (2013.01)

Cited by

EP3362200A4

Designated contracting state (EPC) DE FR GB IT SE

DOCDB simple family (publication)

EP 0218757 A1 19870422; EP 0218757 B1 19900314; DE 3576468 D1 19900419

DOCDB simple family (application)

EP 85306078 A 19850827; DE 3576468 T 19850827