

Title (en)  
REGULATION DEVICE

Publication  
**EP 0221349 B1 19890726 (DE)**

Application  
**EP 86113535 A 19861001**

Priority  
DE 3535163 A 19851002

Abstract (en)  
[origin: US4702271A] The invention concerns a float-controlled flow-control device for the outlet from a sewage system, especially a rain basin. The bearings for the pivots (7 & 8) that the float arm (4) and the shutter (2) rotate on are mounted on a displaceable structure (3). This makes it possible to vary the outflow volume to be controlled even when the device is in operation, and hence to control it remotely as well.

IPC 1-7  
**E03F 5/10**

IPC 8 full level  
**E03F 5/10** (2006.01)

CPC (source: EP US)  
**E03F 5/107** (2013.01 - EP US); **Y10T 137/7297** (2015.04 - EP US); **Y10T 137/73** (2015.04 - EP US); **Y10T 137/7323** (2015.04 - EP US);  
**Y10T 137/7413** (2015.04 - EP US); **Y10T 137/7485** (2015.04 - EP US); **Y10T 137/8242** (2015.04 - EP US)

Cited by  
DE29807337U1; CN104947780A; EP0572886A1; CN107771232A; EP0853163A3; DE102018111300A1

Designated contracting state (EPC)  
AT BE CH DE ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)  
**EP 0221349 A2 19870513**; **EP 0221349 A3 19870520**; **EP 0221349 B1 19890726**; AT E44995 T1 19890815; DE 3535163 C1 19870409;  
DE 3664652 D1 19890831; US 4702271 A 19871027

DOCDB simple family (application)  
**EP 86113535 A 19861001**; AT 86113535 T 19861001; DE 3535163 A 19851002; DE 3664652 T 19861001; US 91301386 A 19860929