

Title (en)

# APPARATUS FOR CONTROLLING A TRAVERSING OPERATION

Publication

**EP 0226547 A3 19880706 (FR)**

Application

**EP 86810597 A 19861217**

Priority

CH 547585 A 19851220

Abstract (en)

[origin: EP0226547A2] The elongate product (3) is guided between rollers (20) mounted on the slide (19) and the guiding tube (23) is fixed to the end of the arm (22) which pivots about the vertical spindle (21). During the traversing operation which displaces the pillar (15) supporting the slide (19) in the slot (16) alternately in one direction and in the other, the arm (22) pivots about the pivot (21) if the angle of approach changes. The sensor (31) effected by the position of the pallet (32) gives an analogue signal to the control circuit such that changes of this signal cause changes in the displacement speed of the pillar (15) permitting an angle of approach corresponding to a desired optimum value to be re-established. <IMAGE>

IPC 1-7

**B65H 54/28**

IPC 8 full level

**B65H 54/28** (2006.01)

CPC (source: EP)

**B65H 54/2872** (2013.01)

Citation (search report)

- [X] EP 0110821 A2 19840613 - LAVANCHY GERARD ANDRE
- [X] EP 0043368 A2 19820106 - ROSENDAHL MASCH GMBH [AT]
- [A] US 3833184 A 19740903 - HARA R, et al
- [A] US 3031153 A 19620424 - HENRY ATTWOOD WILLIAM, et al
- [A] DE 1574425 A1 19701008 - ROSENDAHL WALTER
- [X] DRAHT, vol. 34, no. 3, mars 1983, pages 98-101, Bamberg, DE; W.H. HULAK: "Optoelektronik automatisiert Verlegeeinrichtungen der Aufwickler"

Cited by

EP0354320A1; EP0351777A1; GR880100784A; US6332583B1; US11569598B2; WO0025952A1

Designated contracting state (EPC)

AT BE CH DE FR GB IT LI NL SE

DOCDB simple family (publication)

**EP 0226547 A2 19870624; EP 0226547 A3 19880706**

DOCDB simple family (application)

**EP 86810597 A 19861217**