

Title (en)
ROLLING MILL STAND WITH CHOCKS VERTICALLY ADJUSTABLE IN THE STAND HOUSING

Publication
EP 0233597 B1 19930714 (DE)

Application
EP 87101969 A 19870212

Priority
DE 3605614 A 19860221

Abstract (en)
[origin: EP0233597A2] So that the chocks containing roll bearings can be guided in windows of stand housings with little frictional losses and if need be in such a way that they can be set horizontally, the chocks or the guide pieces guiding them are pivotably connected to guide links which are pivotable around pivot pins arranged on the housing beams. If the pivot pins guiding the guide links are designed as eccentric pins with adjusting devices allocated to them, horizontal settings can be made with little effort just as easily as re-adjustments of the guide clearance can be made, or else, for example, guide pieces can be retracted for carrying out the roll change. <IMAGE>

IPC 1-7
B21B 31/02; B21B 31/28

IPC 8 full level
B21B 31/02 (2006.01); **B21B 31/28** (2006.01); **B21B 31/20** (2006.01); **B21B 31/26** (2006.01)

CPC (source: EP)
B21B 31/02 (2013.01); **B21B 31/28** (2013.01); **B21B 31/26** (2013.01); **B21B 2031/206** (2013.01)

Cited by
CN103506396A; EP0732157A1; EP1252941A1; EP0808673A1; CN113134511A; EP0815964A1; US5921129A

Designated contracting state (EPC)
AT BE DE FR GB IT

DOCDB simple family (publication)
EP 0233597 A2 19870826; EP 0233597 A3 19900207; EP 0233597 B1 19930714; AT E91442 T1 19930715; DE 3605614 A1 19870827; DE 3786466 D1 19930819

DOCDB simple family (application)
EP 87101969 A 19870212; AT 87101969 T 19870212; DE 3605614 A 19860221; DE 3786466 T 19870212