

Title (en)  
Protective suit.

Title (de)  
Schutanzug.

Title (fr)  
Vêtement de protection.

Publication  
**EP 0233995 A1 19870902 (DE)**

Application  
**EP 86114744 A 19861023**

Priority  
DE 3601245 A 19860117

Abstract (en)

1. Protective suit being tight against liquids and winds, made of laminated sheet material, consisting of an overcoat provided with neck and arm openings equipped with collars manufactured of elastic material, preferably of rubber, whereby there is also arranged a collar made of elastic material on the rim of said overcoat, and of a pair of trousers consisting of the same material as said overcoat, the collars of which are also made of elastic material, preferably of rubber, whereby a partial layer, forming the base material of said laminated sheet material, consists of a carrier fabric (20) in the form of a woven construction consisting of polyamide fibers, and another partial layer of said laminated sheet material is made of another synthetic material and is coated onto said carrier fabric (20) in the form of a film (21), characterized in that said fibers of said woven polyamide construction contain an antistatic core made of a suitable material, said film (21) consists of polyester of 100 per cent, having a water vapour permeability of at least 1000 g/sqm per day, stiched seams (1a; 3b; 3c; 4a2; 4a3; 4b2; 4b3; 5b; 5c; 7a2; 7a3; 9; 10; 11; 12a1; 12a2; 12b1; 12b2) of said protective suit (1, 6) including said collars (4; 4a; 4b; 5; 7; 12a; 12b) are weld-overlaid by ribbons (22) made of said film (21) and that said waistband collar (5) of said overcoat (1) and said trouser collar (7) overlap each other.

Abstract (de)

Die Erfindung betrifft einen wind- und flüssigkeitsdichten, aus einem Compositwerkstoff gefertigten Schutanzug. Durch eine Werkstoffkombination soll erreicht werden, daß der erfindungsgemäß Schutanzug wasserdampfdurchlässig und atmungsaktiv ist sowie darüber hinaus allen chemischen und physikalischen Anforderungen genügt, so daß dieser für Arbeiten im Reinraumbereich optimal geeignet ist. Dies wird erfindungsgemäß dadurch erreicht, daß ein Trägergewebe in Form eines Gewirkes aus bekanntem Polyamid, wobei der Faden des Gewirkes eine antistatische Seele aus geeignetem Material enthält, mit einer Folie oder Membrane aus bekanntem 100 %igem Polyester mit einer Wasserdampfdurchlässigkeit von mindestens 1000 g/qm pro Tag kombiniert ist.

IPC 1-7  
**A62B 17/00; B32B 27/00**

IPC 8 full level  
**A41D 13/00** (2006.01); **A41D 13/02** (2006.01); **A41D 13/12** (2006.01); **A41D 31/00** (2006.01); **A62B 17/00** (2006.01); **B32B 27/00** (2006.01)

CPC (source: EP US)  
**A41D 13/00** (2013.01 - EP); **A41D 13/02** (2013.01 - EP); **A41D 13/1263** (2013.01 - EP US); **A41D 31/102** (2019.01 - EP US);  
**A41D 13/1227** (2013.01 - EP)

Citation (search report)

- [A] US 3337382 A 19670822 - JOHN FARAGO
- [A] FR 1579758 A 19690829
- [A] US 4442162 A 19840410 - KUESTER FRANK E [US]
- [A] DE 2835412 A1 19800214 - HELSA WERKE HELMUT SANDLER & C

Cited by  
DE3927185A1; US5520980A; US5960475A; EP0906730A3; EP1308186A3; FR2661803A1; DE3917336A1; US6792625B2; US6286144B1;  
WO2006128402A1; WO03086543A1; US6948191B2; US6796304B2; US7874018B2; US9684436B2; WO2007096571A1

Designated contracting state (EPC)  
AT BE CH DE IT LI LU NL

DOCDB simple family (publication)  
**EP 0233995 A1 19870902; EP 0233995 B1 19900808**; AT E55266 T1 19900815; DE 3601245 C1 19870716

DOCDB simple family (application)  
**EP 86114744 A 19861023**; AT 86114744 T 19861023; DE 3601245 A 19860117