

Title (en)

DEVICE FOR PHOTOGRAPHIC MONITORING OF CROSS-ROADS

Publication

**EP 0236387 B1 19910515 (DE)**

Application

**EP 86905259 A 19860807**

Priority

DE 3532527 A 19850912

Abstract (en)

[origin: WO8701847A1] In order to ensure the photographic monitoring of cross-roads a camera (26 or 28) is provided which covers an intersection (10). An initial sensor (22) responses when a vehicle (30 or 32) goes beyond a halt line during the stop phase of the traffic lights (16), in which case an initial photograph is taken by the camera (26) or (28). A second sensor (24) is arranged directly ahead, behind the first sensor (22) in the danger area of the intersection (10) and in an optimum photographic position in relation to the camera (26 or 28) and when this sensor is passed a second photograph is triggered. As a result, the vehicle (30 or 32) is photographed whatever its speed and always in an optimum photographic position.

IPC 1-7

**G08G 1/017**

IPC 8 full level

**G08G 1/08** (2006.01); **G08G 1/017** (2006.01)

CPC (source: EP US)

**G08G 1/0175** (2013.01 - EP US)

Designated contracting state (EPC)

CH DE FR LI NL

DOCDB simple family (publication)

**DE 3532527 A1 19870319; DE 3532527 C2 19881110;** DD 249561 A5 19870909; DE 3679310 D1 19910620; EP 0236387 A1 19870916;  
EP 0236387 B1 19910515; JP S63501177 A 19880428; US 4884072 A 19891128; WO 8701847 A1 19870326

DOCDB simple family (application)

**DE 3532527 A 19850912;** DD 29430686 A 19860910; DE 3679310 T 19860807; EP 8600467 W 19860807; EP 86905259 A 19860807;  
JP 50473186 A 19860807; US 5076987 A 19870608