

Title (en)

Method of manufacturing papermaker's felt.

Title (de)

Verfahren zur Herstellung eines Papiermaschinenfilzes.

Title (fr)

Procédé de fabrication d'un feutre de papeterie.

Publication

EP 0239207 A2 19870930 (EN)

Application

EP 87301062 A 19870206

Priority

US 84408886 A 19860326

Abstract (en)

The present invention provides a solution to the prior art problem of producing a high density papermakers batt fabric or felt which may be secured to an undamaged under layer in an economic manner. The present invention provides these improvements by providing a batt which is comprised of a non-woven low melt scrim to which the batt material is initially needed. Subsequent to producing a batt of the required density, the batt may, if desired, be needled or adhered to an under layer fabric. The completed felt will be subjected a heat pressing operation which will elevate the temperature of the batt to a temperature above the softening temperature of the scrim but below the melting point of the batt fibers. In this manner, the batt and under layer fabric are unified to produce a multilayer papermakers felt with minimum effort and disruption of the under layer.

IPC 1-7

D04H 1/48; **D04H 13/00**; **D21F 7/08**

IPC 8 full level

B32B 5/06 (2006.01); **D04H 1/48** (2012.01); **D04H 13/00** (2006.01)

CPC (source: EP)

D04H 1/48 (2013.01); **D21F 7/083** (2013.01)

Cited by

CN114645483A; EP0849388A1; DE4040861A1; DE4040861C3; US10112365B2; WO03076046A3; WO2015164317A1; WO9522645A1; WO2015055619A1; EP0266853B1; EP0741204A2

Designated contracting state (EPC)

AT BE CH DE ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)

EP 0239207 A2 19870930; **EP 0239207 A3 19891108**; AU 593626 B2 19900215; AU 7062587 A 19871001; CA 1292633 C 19911203; FI 870804 A0 19870225; FI 870804 A 19870927; JP S62257452 A 19871110; NZ 219235 A 19880630

DOCDB simple family (application)

EP 87301062 A 19870206; AU 7062587 A 19870325; CA 532990 A 19870325; FI 870804 A 19870225; JP 6923787 A 19870325; NZ 21923587 A 19870211