

Title (en)
TRANSMISSION LINE CABLE

Publication
EP 0243023 B1 19920304 (EN)

Application
EP 87302894 A 19870402

Priority
US 84888186 A 19860407

Abstract (en)
[origin: EP0243023A2] An electrical transmission wire consisting of a single or a twisted pair of wires has the effective electrical diameter of the primary conductor increased by wrapping conductive foil (2), or conductive foil (2) laminated to a substrate layer (1), on to a primary conductor (3) with a diameter less than 20 mils (0.508mm), the foil being in contact with the conductor. An outer insulating cover (4) may be applied over the wrapped wire. The conductive wrapping can be a spiral wrapping or a longitudinal wrapping around the electrical conductor. A desired characteristic impedance along the length of the wire(s) can be achieved with easy removal of the wire covering for standard termination and increased cut-through resistance.

IPC 1-7
H01B 7/00; **H01B 11/00**; **H01B 11/12**

IPC 8 full level
H01B 7/00 (2006.01); **H01B 11/00** (2006.01); **H01B 11/12** (2006.01)

CPC (source: EP)
H01B 7/0009 (2013.01); **H01B 11/12** (2013.01)

Designated contracting state (EPC)
AT BE CH DE ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)
EP 0243023 A2 19871028; **EP 0243023 A3 19880720**; **EP 0243023 B1 19920304**; AT E73256 T1 19920315; AU 7052487 A 19871008; CA 1277731 C 19901211; DE 3776949 D1 19920409; DK 177887 A 19871008; DK 177887 D0 19870407; FI 871483 A0 19870406; FI 871483 A 19871008; GB 2188768 A 19871007; GB 2188768 B 19900124; GB 8707921 D0 19870507; JP H0456408 B2 19920908; JP S63119112 A 19880523; NO 871432 D0 19870406; NO 871432 L 19871008; PT 84630 A 19870501; PT 84630 B 19891130; ZA 872487 B 19880330

DOCDB simple family (application)
EP 87302894 A 19870402; AT 87302894 T 19870402; AU 7052487 A 19870323; CA 533900 A 19870406; DE 3776949 T 19870402; DK 177887 A 19870407; FI 871483 A 19870406; GB 8707921 A 19870402; JP 8214887 A 19870402; NO 871432 A 19870406; PT 8463087 A 19870407; ZA 872487 A 19870407