

Title (en)

A coin handling apparatus.

Title (de)

Münzbehandlungsvorrichtung.

Title (fr)

Dispositif de traitement de pièces de monnaie.

Publication

EP 0246993 A2 19871125 (EN)

Application

EP 87500026 A 19870519

Priority

ES 555181 A 19860521

Abstract (en)

This invention relates to coin selector mechanisms having in a consecutive arrangement three protection zones, two of them being optical and one of them being an electromagnetic zone intermediate the two optical zones, the optical zones taking the form of phototransistor type sensors while the electromagnetic zone, which is preferably the central zone, is embodied by at least one and preferably two windings which are interconnected and positioned opposite one another on either side of the coin path so that the fields produced by the coils intercept the coin path, the coils being connected to an oscillator having two outputs, one output being connected to a microprocessor and the other output being connected to a rectifier connected to an analog-to-digital converter which outputs to the microprocessor.

IPC 1-7

G07F 3/02; G07D 5/08

IPC 8 full level

G07D 5/08 (2006.01); **G07D 5/00** (2006.01); **G07D 5/02** (2006.01); **G07F 5/00** (2006.01); **G07F 5/08** (2006.01)

CPC (source: EP)

G07D 5/02 (2013.01); **G07D 5/08** (2013.01)

Cited by

US5402873A; DE4436318A1; DE4436318B4; US5368149A; US5386901A; DE4436319A1; DE4436319B4; US5370210A; ES2036927A1; US5322153A; EP0461061A3; FR2649819A1; BE1005283A0; EP0710933A3; EP1391851A1

Designated contracting state (EPC)

AT BE CH DE FR GB GR IT LI LU NL SE

DOCDB simple family (publication)

EP 0246993 A2 19871125; EP 0246993 A3 19880706; EP 0246993 B1 19921216; AT E83572 T1 19930115; AU 603798 B2 19901129; AU 7329887 A 19871126; DE 3783077 D1 19930128; DE 3783077 T2 19930506; DK 169243 B1 19940919; DK 241687 A 19871122; DK 241687 D0 19870512; ES 555181 A0 19870901; ES 8708074 A1 19870901; GR 3007387 T3 19930730; JP S62286192 A 19871212; PT 84900 A 19870601; PT 84900 B 19900208

DOCDB simple family (application)

EP 87500026 A 19870519; AT 87500026 T 19870519; AU 7329887 A 19870521; DE 3783077 T 19870519; DK 241687 A 19870512; ES 555181 A 19860521; GR 930400601 T 19930316; JP 12498987 A 19870521; PT 8490087 A 19870519