

Title (en)  
Rotary die-cut apparatus and gearing arrangement therein.

Title (de)  
Rotationsstanze und ihr Getriebe.

Title (fr)  
Machine d'estampage rotative et son train d'engrenages.

Publication  
**EP 0247727 A2 19871202 (EN)**

Application  
**EP 87303642 A 19870424**

Priority  
US 86606886 A 19860521

Abstract (en)  
A rotary die-cut apparatus (20), in which a die roll (30) cooperates with a resiliently covered anvil roll (32) for die-cutting carton blanks passed therebetween, incorporates a constant mesh gear train between the die roll (30) and the anvil roll (32) for providing an infinite hunting ratio between these rolls. This provides more uniform wear of the anvil roll cover (42) and prolongs its effective life. Preferably, this gear train includes a harmonic drive (120, 130, 124) having a wave generator cam (124) rotatable by a trim motor (72). An arrangement (74; 78) for sensing changes in diameter of the anvil roll (32) due to wear of its cover (42) may provide an input for determining the speed of the trim motor (72). A resurfacing mechanism (86, 90) for removing the outer surface of the cover (42) when worn may provide this input. A pulse generator (250) is preferably incorporated in a controller (200) of the trim motor (72) for periodically making random changes in the speed of the trim motor. The gear train, with or without the trim motor, preferably has a gear ratio through multiple pairs of gears (62, 96; 98, 112; 120, 132; 138, 142) which itself provides an infinite hunting ratio. A gear (142) on the anvil roll (32) concentric therewith may mesh inside an internally toothed ring gear (138), these gears remaining in mesh when the anvil roll (32) is moved about an eccentric axis (156) towards or away from the die roll (30). An electric register (70) for registering the die roll (30) may be interconnected with the trim motor (72) for rotation of the anvil roll (32) with the die roll (30) when the apparatus is stopped.

IPC 1-7  
**B26D 5/08; B26F 1/38**

IPC 8 full level  
**B26D 5/08** (2006.01); **B26D 7/20** (2006.01); **B26F 1/38** (2006.01); **B31B 3/00** (2006.01); **B31B 50/20** (2017.01)

CPC (source: EP US)  
**B26D 5/08** (2013.01 - EP US); **B26D 7/20** (2013.01 - EP US); **B26F 1/384** (2013.01 - EP US); **B26D 2007/202** (2013.01 - EP US); **Y10T 83/303** (2015.04 - EP US); **Y10T 83/4737** (2015.04 - EP US); **Y10T 83/4841** (2015.04 - EP US); **Y10T 83/8745** (2015.04 - EP US)

Designated contracting state (EPC)  
CH DE FR GB IT LI SE

DOCDB simple family (publication)  
**EP 0247727 A2 19871202; EP 0247727 A3 19890607; EP 0247727 B1 19930224**; DE 3784270 D1 19930401; DE 3784270 T2 19930909; JP H07108557 B2 19951122; JP S6327237 A 19880204; US 4736660 A 19880412

DOCDB simple family (application)  
**EP 87303642 A 19870424**; DE 3784270 T 19870424; JP 11373687 A 19870512; US 86606886 A 19860521