

Title (en)
ELECTRICAL IGNITION AND METHOD FOR ITS PRODUCTION

Publication
EP 0248977 B1 19920102 (DE)

Application
EP 87102055 A 19870213

Priority
DE 3606364 A 19860227

Abstract (en)
[origin: EP0248977A1] The carrier for an electric bridge igniter for igniting priming charges, delay compositions and pyrotechnical mixtures and for igniting primary explosives and charges consists of a ceramic body 2, which is introduced into a metallic outer ring 1 and has one or more boreholes, into which solid or tubular contact pins 3 as current leads are fitted firmly and tightly and are surrounded flatly by a conducting layer 4, between which conducting layers the bridge igniter 5 is situated. <IMAGE>

IPC 1-7
F42B 3/12; F42C 19/12

IPC 8 full level
F42B 3/12 (2006.01); **F42C 19/12** (2006.01)

CPC (source: EP)
F42B 3/124 (2013.01)

Cited by
DE102006004036A1; US8733250B2; US8276514B2; US8327765B2; US9423218B2; US9651345B2; US5404263A; EP0586133A3; EP1455160A1; DE112007002750B4; US6274252B1; EP0932015A1; US6316752B1; US8205554B2; EP1808667A3; CN113513953A; WO9918586A1; WO9813836A1; CN112469956A; EP3851786A1; JP2021529924A; KR100525939B1; JP2010133698A; WO2020016153A1; EP2187162A2; EP2270417A2; US8127681B2; EP3104114A1; US10684102B2

Designated contracting state (EPC)
AT BE CH DE ES FR GB GR IT LI NL SE

DOCDB simple family (publication)
EP 0248977 A1 19871216; EP 0248977 B1 19920102; AT E71217 T1 19920115; DE 3606364 A1 19870903; DE 3775623 D1 19920213; ES 2028803 T3 19920716; GR 3003495 T3 19930217

DOCDB simple family (application)
EP 87102055 A 19870213; AT 87102055 T 19870213; DE 3606364 A 19860227; DE 3775623 T 19870213; ES 87102055 T 19870213; GR 910401966 T 19920103