

Title (en)
BURETTE

Publication
EP 0250243 B1 19920226 (EN)

Application
EP 87305422 A 19870618

Priority
GB 8614899 A 19860619

Abstract (en)
[origin: EP0250243A2] The invention provides a burette having a body 1 adapted to receive at one end a releasable reagent container 3 having a removable end fitting with a cannula 7 such that the cannula 7 ruptures a self-re-sealing diaphragm of the reagent container 3 when the end fitting is mounted on the reagent container 3, and that the diaphragm is allowed to re-seal when the end fitting is removed. The burette also includes an electric linear actuator comprising a stepping motor 8 and a reciprocable drive shaft 9, and includes a re-chargeable battery 10 with power to the stepping motor 8 controlled by a push button 11. A further push button 12 re-sets a digital display means 13. An interface socket 14 allows the burette to be connected to an external controller such as a microcomputer, and may serve as a power input connector for battery charging.

IPC 1-7
B01L 3/02

IPC 8 full level
B01L 3/02 (2006.01)

CPC (source: EP)
B01L 3/0206 (2013.01); **B01L 2300/027** (2013.01)

Cited by
EP0903179A1; DE102004003434A1; DE102004003434B4; US2020326326A1; US7320260B2; US6182517B1; WO0049418A1

Designated contracting state (EPC)
AT BE CH DE ES FR GB IT LI NL SE

DOCDB simple family (publication)
EP 0250243 A2 19871223; EP 0250243 A3 19880817; EP 0250243 B1 19920226; AT E72773 T1 19920315; DE 3776818 D1 19920402; ES 2029476 T3 19920816; GB 8614899 D0 19860723

DOCDB simple family (application)
EP 87305422 A 19870618; AT 87305422 T 19870618; DE 3776818 T 19870618; ES 87305422 T 19870618; GB 8614899 A 19860619