

## Title (en)

COMBUSTION CHAMBER DEVICE WITH A PRECOMBUSTION CHAMBER FOR AN UNDERSTOICHIOMETRIC COMBUSTION

## Publication

**EP 0252315 B1 19921007 (DE)**

## Application

**EP 87108265 A 19870608**

## Priority

CH 274886 A 19860708

## Abstract (en)

[origin: EP0252315A1] The precombustion chamber (1), in which liquid fuel is combusted understoichiometrically, is arranged upstream of a secondary combustion chamber (16), in which complete combustion takes place overstoichiometrically. The understoichiometric combustion air volume (11) for the precombustion chamber (2) is blown in close to the wall from the outlet channel (3) upwards into the housing (2), which is heart-shaped in axial section. The injection nozzles (7) for the fuel are arranged in such a way that the fuel jets (8) shield the layer of combustion air close to the wall from the partially combusted fuel mixture flowing over it through the outlet channel (3) into the secondary combustion chamber (16). At the end of the outlet channel (3), the additional air volume required for complete combustion in the secondary combustion chamber (16) is mixed in with the partially combusted fuel mixture. <IMAGE>

## IPC 1-7

**F23C 3/00; F23C 6/04; F23C 7/02**

## IPC 8 full level

**F23R 3/34** (2006.01); **F23C 3/00** (2006.01); **F23C 6/04** (2006.01); **F23C 7/02** (2006.01); **F23R 3/42** (2006.01)

## CPC (source: EP US)

**F23C 3/00** (2013.01 - EP US); **F23C 6/04** (2013.01 - EP US); **F23C 7/02** (2013.01 - EP US); **F23R 3/42** (2013.01 - EP US)

## Cited by

EP1766292A4; EP0982544A1; US6209327B1

## Designated contracting state (EPC)

CH DE GB LI NL SE

## DOCDB simple family (publication)

**EP 0252315 A1 19880113; EP 0252315 B1 19921007**; CH 671449 A5 19890831; DE 3782097 D1 19921112; JP S6325418 A 19880202; US 4894005 A 19900116

## DOCDB simple family (application)

**EP 87108265 A 19870608**; CH 274886 A 19860708; DE 3782097 T 19870608; JP 16893787 A 19870708; US 6348087 A 19870618