

Title (en)

METHOD OF ADJUSTING AN ELECTROMAGNETIC RELAY AND A RELAY ADJUSTABLE ACCORDING TO THIS METHOD

Publication

**EP 0252343 B1 19910116 (DE)**

Application

**EP 87108703 A 19870616**

Priority

DE 3620941 A 19860623

Abstract (en)

[origin: US4803451A] The response and extinction voltage of a relay are adjusted by displacing an armature, on the one hand, and pole plates, on the other hand, parallel to each other. The extent of each opposing pole face is varied without varying the air-gap distance. This method of calibration is of particular advantage in relation to a reed relay with a bridge contact.

IPC 1-7

**H01H 49/00**; **H01H 50/34**

IPC 8 full level

**H01H 49/00** (2006.01); **H01H 50/16** (2006.01); **H01H 50/34** (2006.01)

CPC (source: EP US)

**H01H 49/00** (2013.01 - EP US); **H01H 50/34** (2013.01 - EP US)

Cited by

CN101976634A; GB2269481A; US5339059A; GB2269481B

Designated contracting state (EPC)

AT BE CH DE ES FR GB IT LI NL SE

DOCDB simple family (publication)

**EP 0252343 A1 19880113**; **EP 0252343 B1 19910116**; AT E60164 T1 19910215; DE 3767387 D1 19910221; JP S6324520 A 19880201; US 4803451 A 19890207

DOCDB simple family (application)

**EP 87108703 A 19870616**; AT 87108703 T 19870616; DE 3767387 T 19870616; JP 14931387 A 19870617; US 5556387 A 19870528