

Title (en)
UNDER FLOOR HEATING

Publication
EP 0255039 A3 19880817 (DE)

Application
EP 87110655 A 19870723

Priority
DE 3625851 A 19860731

Abstract (en)
[origin: EP0255039A2] A cavity floor comprises the underfloor (10), covered by a heat insulating layer (11), on which the upper floor (12) rests with supporting feet (13). Provided in the heat insulating layer (11) are channels (17), in which there are hot air ducts (18). The hot air fed in flows through the hot air duct (18) into a distributing space and from there into the cavity floor (16), which is arranged on a different level than the hot air ducts (18). The cross-section of the hot air ducts (18) is independent of the height of the supporting feet (13). The supporting feet (13) can be of a small height, thereby increasing the air velocity in the floor cavity (16) and improving heat transfer. <IMAGE>

IPC 1-7
F24D 5/00

IPC 8 full level
F24D 5/00 (2006.01); **F24D 5/10** (2006.01)

CPC (source: EP)
F24D 5/00 (2013.01); **F24D 5/10** (2013.01)

Citation (search report)

- [AD] DE 3312189 A1 19840126 - SCHMIDT REUTER [DE]
- [A] DE 3108106 A1 19821209 - HANSEN CARL MARTIN
- [A] AT 358773 B 19800925 - KRUEGLER EMIL DIPL. ING.
- [A] DE 2241836 A1 19740307 - MAHR SOEHNE GMBH THEO
- [A] DE 1299389 B 19690918 - PFAU KG A
- [A] DE 2930426 A1 19810212 - WEITZ BETONWERK KLEINWALLSTADT

Cited by
DE102010048939A1; DE4433664A1; EP0543129A1; WO9911982A1; WO9107557A1

Designated contracting state (EPC)
AT BE CH DE ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)
EP 0255039 A2 19880203; EP 0255039 A3 19880817; EP 0255039 B1 19910403; AT E62337 T1 19910415; DE 3625851 C1 19880121;
DE 3769029 D1 19910508

DOCDB simple family (application)
EP 87110655 A 19870723; AT 87110655 T 19870723; DE 3625851 A 19860731; DE 3769029 T 19870723