

Title (en)
POSITIONING SYSTEM FOR A DISMOUNTABLE BRIDGE

Publication
EP 0256446 A3 19890726 (DE)

Application
EP 87111453 A 19870807

Priority
DE 3628273 A 19860820

Abstract (en)
[origin: EP0256446A2] In a positioning system for a dismountable bridge which comprises at least one vehicle (A) having a positioning device (8), and a plurality of interconnectable bridge parts (1, 2, 1', 2') which are designed to have an inverted U-shaped cross-section and are arranged displaceable for positioning in the longitudinal direction of the vehicle, and comprise two ramp sections (1, 1') and, if appropriate, at least one inner section (2, 2'), each of the sections being assigned a projecting support section which can be mounted displaceable therein, even relatively large bridge lengths can be positioned quickly and reliably using a relatively small positioning device (8) in that the bridge parts have guide rails (16) at the lower, mutually facing corners of their supports, into which guide rails rollers (15) arranged on the positioning device (8) engage, and in that a drive (23) which can be connected in an alternating manner with the bridge parts and the projecting support sections is provided. A bridge according to the invention is distinguished in that, for increasing the stability of the bridge, the projecting support (7) can be extended downwards as a lower restraint and, for this purpose, has at least one transverse link (10). <IMAGE>
[origin: EP0256446A2] The bridge laying system incorporates one or more vehicles with laying mechanisms. Bridge sections of inverted U-section and with parallel girders are joined together and pushed in the longitudinal direction of the vehicle. They include two ramps and a leading end supporting part, travelling on roller guides in the longitudinal direction. At the bridge section girder bottom corners, facing each other, are guide rails (16), in which rollers (15) on the laying mechanism (8) engage. A drive mechanism (23) is coupled alternately to the bridge sections and the support and the support part portions.

IPC 1-7
E01D 15/12

IPC 8 full level
E01D 15/12 (2006.01); **E01D 15/127** (2006.01); **E01D 15/133** (2006.01)

CPC (source: EP)
E01D 15/127 (2013.01); **E01D 15/133** (2013.01)

Citation (search report)
• [A] DE 3433178 A1 19860320 - PORSCHE AG [DE]
• [A] FR 2502659 A1 19821001 - HAULOTTE ATEL CONST A [FR]
• [A] DE 3517724 A1 19860320 - PORSCHE AG [DE]
• [A] FR 1558756 A 19690228
• [A] FR 2477599 A1 19810911 - BRUGE JEAN [FR]
• [A] EP 0093873 A1 19831116 - IBK INGENIEURBURO ECHTLER KAI [DE]
• [A] EP 0075671 A1 19830406 - DORNIER SYSTEM GMBH [DE]
• [A] EP 0165712 A2 19851227 - FAIREY ENG [GB]
• [A] DE 2846182 A1 19800508 - PORSCHE AG
• [A] DE 2324646 A1 19741205 - KRUPP GMBH
• [A] GB 1494494 A 19771207 - BULSON P, et al
• [A] DE 2807859 A1 19780831 - SECR DEFENCE BRIT

Cited by
RU2758315C1; US7017219B2; EP0340409A1; US5042102A; EP0391149A3; US5179751A; EP0407235A1; FR2649425A1; WO9005216A1

Designated contracting state (EPC)
DE ES FR GB SE

DOCDB simple family (publication)
EP 0256446 A2 19880224; EP 0256446 A3 19890726; EP 0256446 B1 19930421; DE 3628273 A1 19880303; DE 3751547 D1 19951102; DE 3785515 D1 19930527; EP 0523757 A2 19930120; EP 0523757 A3 19930303; EP 0523757 B1 19950927; ES 2039384 T3 19931001; ES 2077319 T3 19951116; NO 873263 D0 19870805; NO 873263 L 19880222

DOCDB simple family (application)
EP 87111453 A 19870807; DE 3628273 A 19860820; DE 3751547 T 19870807; DE 3785515 T 19870807; EP 92116939 A 19870807; ES 87111453 T 19870807; ES 92116939 T 19870807; NO 873263 A 19870805